

PRODUCT RANGE SPECIFICATION

A03015 – Straight-Sided Stainless Steel Buckets



PRODUCT IMAGE : 20L Grade 316 bucket shown without lid. Select the required capacity, grade, thickness and lid arrangement.

Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE

Product range

DOCUMENT REFERENCE

A03015{PSS}

DATA STATUS

Published catalogue data

GENERATED ON

7 Oct 2026

Detailed item specifications

Select an item code for its detailed specification sheet, including model dimensions, technical specifications and drawings. For a printed copy, scan the QR code or visit the product page and select the item.

<https://basterfield.co.za/products/a03015-straight-sided-heavy-duty-buckets#specifications>



01 Product description and specification

Product description

Straight-sided stainless steel buckets with swing handles, in 10L, 12L, 15L, 20L and 30L capacities. Choose Grade 304 or Grade 316, with or without a drop-on lid. 1.2mm thickness is standard; 0.9mm is available under advanced customisation.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield A03015 straight-sided stainless steel bucket with swing handle. Select 10L, 12L, 15L, 20L or 30L; Grade 304 or Grade 316; with drop-on lid or without lid. Standard material thickness: 1.2mm. Advanced material thickness: 0.9mm. Plain configuration codes include a drop-on lid; suffix -01 means without lid. Volume graduations are not specified for this standard range.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Handle Type	Swing Handle	—	The carrying handle construction fitted to this milk-can product.

03 Models and configurations

ITEM CODE	MATERIAL	CAPACITY	DROP-ON LID	MATERIAL THICKNESS
A03015(109-010)	Stainless Steel Grade 304	10 L	Yes	0.9 mm
A03015(109-010)-01	Stainless Steel Grade 304	10 L	No	0.9 mm
A03015(109-012)	Stainless Steel Grade 304	12 L	Yes	0.9 mm
A03015(109-012)-01	Stainless Steel Grade 304	12 L	No	0.9 mm
A03015(109-015)	Stainless Steel Grade 304	15 L	Yes	0.9 mm
A03015(109-015)-01	Stainless Steel Grade 304	15 L	No	0.9 mm

03 Models and configurations

ITEM CODE	MATERIAL	CAPACITY	DROP-ON LID	MATERIAL THICKNESS
<u>A03015(109-020)</u>	Stainless Steel Grade 304	20 L	Yes	0.9 mm
<u>A03015(109-020)-01</u>	Stainless Steel Grade 304	20 L	No	0.9 mm
<u>A03015(109-030)</u>	Stainless Steel Grade 304	30 L	Yes	0.9 mm
<u>A03015(109-030)-01</u>	Stainless Steel Grade 304	30 L	No	0.9 mm
<u>A03015(112-010)</u>	Stainless Steel Grade 304	10 L	Yes	1.2 mm
<u>A03015(112-010)-01</u>	Stainless Steel Grade 304	10 L	No	1.2 mm
<u>A03015(112-012)</u>	Stainless Steel Grade 304	12 L	Yes	1.2 mm
<u>A03015(112-012)-01</u>	Stainless Steel Grade 304	12 L	No	1.2 mm
<u>A03015(112-015)</u>	Stainless Steel Grade 304	15 L	Yes	1.2 mm
<u>A03015(112-015)-01</u>	Stainless Steel Grade 304	15 L	No	1.2 mm
<u>A03015(112-020)</u>	Stainless Steel Grade 304	20 L	Yes	1.2 mm
<u>A03015(112-020)-01</u>	Stainless Steel Grade 304	20 L	No	1.2 mm
<u>A03015(112-030)</u>	Stainless Steel Grade 304	30 L	Yes	1.2 mm
<u>A03015(112-030)-01</u>	Stainless Steel Grade 304	30 L	No	1.2 mm
<u>A03015(309-010)</u>	Stainless Steel Grade 316	10 L	Yes	0.9 mm
<u>A03015(309-010)-01</u>	Stainless Steel Grade 316	10 L	No	0.9 mm
<u>A03015(309-012)</u>	Stainless Steel Grade 316	12 L	Yes	0.9 mm
<u>A03015(309-012)-01</u>	Stainless Steel Grade 316	12 L	No	0.9 mm
<u>A03015(309-015)</u>	Stainless Steel Grade 316	15 L	Yes	0.9 mm
<u>A03015(309-015)-01</u>	Stainless Steel Grade 316	15 L	No	0.9 mm
<u>A03015(309-020)</u>	Stainless Steel Grade 316	20 L	Yes	0.9 mm
<u>A03015(309-020)-01</u>	Stainless Steel Grade 316	20 L	No	0.9 mm
<u>A03015(309-030)</u>	Stainless Steel Grade 316	30 L	Yes	0.9 mm
<u>A03015(309-030)-01</u>	Stainless Steel Grade 316	30 L	No	0.9 mm
<u>A03015(312-010)</u>	Stainless Steel Grade 316	10 L	Yes	1.2 mm
<u>A03015(312-010)-01</u>	Stainless Steel Grade 316	10 L	No	1.2 mm
<u>A03015(312-012)</u>	Stainless Steel Grade 316	12 L	Yes	1.2 mm
<u>A03015(312-012)-01</u>	Stainless Steel Grade 316	12 L	No	1.2 mm
<u>A03015(312-015)</u>	Stainless Steel Grade 316	15 L	Yes	1.2 mm
<u>A03015(312-015)-01</u>	Stainless Steel Grade 316	15 L	No	1.2 mm
<u>A03015(312-020)</u>	Stainless Steel Grade 316	20 L	Yes	1.2 mm
<u>A03015(312-020)-01</u>	Stainless Steel Grade 316	20 L	No	1.2 mm
<u>A03015(312-030)</u>	Stainless Steel Grade 316	30 L	Yes	1.2 mm
<u>A03015(312-030)-01</u>	Stainless Steel Grade 316	30 L	No	1.2 mm

04 Functional features**01 Five Capacities**

Choose 10L, 12L, 15L, 20L or 30L to suit the handling task.

02 Grade 304 or Grade 316

Both stainless steel grades are available at every listed capacity, with or without a lid.

- 03

1.2mm Standard Construction

1.2mm material thickness is standard. Enable advanced customisation to select 0.9mm.
- 04

Drop-On Lid Choice

Select a bucket with a drop-on lid or a bucket supplied without a lid.
- 05

Straight Sides and Swing Handle

A straight-sided body and swing handle provide a container for carrying liquids and process materials.

05 Application information

Intended applications	Healthcare Utility Rooms, Laboratory Work Areas, Liquid Storage & Handling, Material Handling
Industries	Clinical Laboratories, Food & Beverage Processing, Healthcare, Hospitals & Clinics, Research Laboratories

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.