

PRODUCT RANGE SPECIFICATION

A20911(120) – Stainless Steel Product Container Dolly

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE A20911(120){PSS}	DATA STATUS Published catalogue data	GENERATED ON 15 Sep 2026
---------------------------------	--	---	-----------------------------

01 Product description and specification

Product description	Grade 304 stainless steel circular container dolly with a welded frame and swivel castors for moving compatible drums, bins and product containers. Manufactured from Grade 304 stainless steel, it offers exceptional corrosion resistance, making it suited to food processing, pharmaceutical, and industrial applications. The dolly is fully welded with a smooth, crevice-free design for easy cleaning and hygiene maintenance. Equipped with sturdy stainless steel swivel castors, it ensures smooth and reliable movement, even with heavy loads. The dolly is available in four internal diameters (290 mm, 390 mm, 440 mm, and 590 mm) to accommodate various container sizes. Construction and features • Grade 304 stainless steel – corrosion-resistant and durable. • Fully welded, crevice-free design – easy to clean and hygienic. • Four available sizes – internal diameters of 290 mm, 390 mm, 440 mm, and 590 mm. • Sturdy stainless steel swivel castors – smooth and reliable manoeuvrability. • Variable weight capacity – depends on selected diameter size. This dolly is built for strength, hygiene, and efficiency, ensuring seamless transport of containers in professional environments.
---------------------	---

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield A20911(120). Stainless Steel Product Container Dolly. Diameter: 290 mm, 390 mm, 440 mm, 590 mm. The dolly is available in four internal diameters (290 mm, 390 mm, 440 mm, and 590 mm) to accommodate various container sizes. Four available sizes – internal diameters of 290 mm, 390 mm, 440 mm, and 590 mm.
--------------------------	--

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
A20911(120-0290)	Premium Stainless Steel Container Dolly (Grade 304) for smooth, reliable transport. Available in 290mm, 390mm, 440mm, and 590mm internal diameters. Fully welded, hygienic design with stainless steel swivel castors for effortless movement. Diameter: 290.	Diameter: 290 mm

02 Models and configurations


MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
A20911(120-0390)	Premium Stainless Steel Container Dolly (Grade 304) for smooth, reliable transport. Available in 290mm, 390mm, 440mm, and 590mm internal diameters. Fully welded, hygienic design with stainless steel swivel castors for effortless movement. Diameter: 390.	Diameter: 390 mm
A20911(120-0440)	Premium Stainless Steel Container Dolly (Grade 304) for smooth, reliable transport. Available in 290mm, 390mm, 440mm, and 590mm internal diameters. Fully welded, hygienic design with stainless steel swivel castors for effortless movement. Diameter: 440.	Diameter: 440 mm
A20911(120-0590)	Premium Stainless Steel Container Dolly (Grade 304) for smooth, reliable transport. Available in 290mm, 390mm, 440mm, and 590mm internal diameters. Fully welded, hygienic design with stainless steel swivel castors for effortless movement. Diameter: 590.	Diameter: 590 mm

03 Application information

Intended applications	Material Handling
Industries	Food & Beverage Processing, Pharmaceutical Manufacturing

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.