

PRODUCT RANGE SPECIFICATION

A26131(112-200) – 200 L Stainless Steel Drum with Band-Clamp Lid

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	A26131(112-200){PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	200 L Grade 304 stainless steel drum with reinforcing swages, a reinforced base rim and a lid secured by a band clamp. The Basterfield A26131(112-200) stainless steel Drum 200 L is a heavy-duty, commercial-grade drum manufactured from Grade 304 stainless steel with a 1.2 mm material thickness, providing excellent durability and corrosion resistance for demanding industrial and hygienic applications. Designed for the storage and handling of liquids, ingredients, and process materials, the drum offers a smooth, easy-to-clean stainless steel surface suited to environments where cleanliness and product protection are important. The fitted lid assists in protecting contents from contamination during storage and transport, making the unit suitable for controlled processing and handling operations. With a 200-litre capacity, this drum is reinforced with swages to improve structural rigidity and help resist distortion during movement and use. A reinforcing rim at the base adds further strength and stability to the lower section of the drum, supporting reliable performance in busy commercial and industrial settings. The lid is secured by a band clamp with a tightening bolt, ensuring the cover remains firmly in place for safer containment and reduced risk of accidental displacement during handling. This robust construction makes the drum suitable for use in food production facilities, manufacturing plants, laboratories, pharmaceutical support areas, chemical handling environments, and other applications requiring a durable stainless steel vessel. The A26131(112-200) is ideal where a reusable, corrosion-resistant drum with secure closure and reinforced construction is required. For applications involving agitation or improved internal product movement, the unit is also optionally available with internal mixing baffles under model A26131(3B-112-200).
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield A26131(112-200) drum, 200 L capacity, Grade 304 stainless steel with 1.2 mm material thickness. Reinforcing swages, reinforced base rim and removable lid secured by a band clamp with tightening bolt. Internal baffles are a separate product configuration.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
A26131(112-200)	Stainless Steel Drum 200L	Standard configuration

03 Application information


Intended applications	Liquid Storage & Handling
Industries	Food & Beverage Processing, Pharmaceutical Manufacturing, Research Laboratories

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images




PRODUCT IMAGE



TOP

PRODUCT IMAGE



FRONT

PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.