PRODUCT RANGE SPECIFICATION

A26131(112-200) – 200 L Stainless Steel Drum with Band-Clamp Lid



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	A26131(112-200){PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/a26131112-200-200-l-stainless-steel-drum-with-band-clamp-lid#specifications

01 Product description and specification

Product description	200 L drum with a 1.2 mm Grade 304 stainless steel body, reinforcing swages, a reinforced base rim and a removable band-clamp lid.
Short Form Specification	**SPECIFICATION USE** Use this description when specifying this product range. Basterfield A26131(112-200); 200 L capacity; 1.2 mm Grade 304 stainless steel body; reinforcing swages; reinforced base rim; removable lid with band clamp and tightening bolt.

02 Functional features

01 **200 L Capacity**
200 L drum for storage and handling of liquids, ingredients and process materials.

02 **Grade 304 Stainless Steel**
Drum body manufactured from 1.2 mm Grade 304 stainless steel.

03 **Reinforced Construction**
Reinforcing swages in the body and a reinforced rim at the base.

04 **Band-Clamp Lid**
Removable lid secured by a band clamp with a tightening bolt.

03 Application information

Intended applications	Liquid Storage & Handling
Industries	Food & Beverage Processing, General Manufacturing, Pharmaceutical Manufacturing, Research Laboratories

04 Supply and support

Typical lead time	10–15 working days

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

04 Supply and support

Warranty	12 months

05 Frequently asked questions

What is the drum capacity and material?

The drum has a 200 L capacity and a 1.2 mm Grade 304 stainless steel body.


How is the lid secured?

The removable lid is held by a band clamp with a tightening bolt.


Which model has internal baffles?

A26131(3B-112-200) has three internal 2 mm Grade 304 stainless steel baffles. A26131(112-200) is the standard drum configuration.

Product drawings and images



PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.