

PRODUCT RANGE SPECIFICATION

A45710(1-380-0800) – 800 mm Stainless Steel Stool with Backrest and 380 mm Seat

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	A45710(1-380-0800){PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	Grade 304 stainless steel stool with a backrest, 380 mm diameter seat and 800 mm seat height for industrial workstations. Construction and features • Seat Height: 800 mm – suited to workstations and counters. • Seat Diameter: 380 mm – providing a stable and comfortable seating area. • Backrest Height: 150 mm – offers lower back support while maintaining a compact profile. • Frame Construction: Four-legged design with 30 mm diameter tubular stainless steel legs for enhanced strength and stability. • Footrest Position: 150 mm from the floor for improved seating posture and comfort. This stool is suitable for food production facilities, pharmaceutical environments, medical cleanrooms, and industrial kitchens where hygiene and durability are critical.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield A45710(1-380-0800). 800 mm Stainless Steel Stool with Backrest and 380 mm Seat. Seat Height: 800 mm – suited to workstations and counters. Seat Diameter: 380 mm – providing a stable and comfortable seating area.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
A45710(1-380-0800)	The A45710(1-380-0800) stainless steel stool is built for durability, hygiene, and ergonomic support in food processing, cleanroom, and laboratory environments. Manufactured from high-quality Grade 304 stainless steel, it offers excellent resistance to corrosion and is easy to clean, ensuring compliance with strict hygiene standards. Key Features: • Seat Height: 800mm – ideal for workstations and counters. • Seat Diameter: 380mm – providing a stable and comfortable seating area. • Backrest Height: 150mm – offers lower back support while maintaining a compact profile. • Frame Construction: Four-legged design with 30mm diameter tubular stainless steel legs for enhanced strength and stability. • Footrest Position: 150mm from the floor for improved seating posture and comfort. • Hygienic & Easy to Clean: Non-porous surface prevents bacterial buildup and ensures compliance with food safety standards. This stool is suitable for food production facilities, pharmaceutical environments, medical cleanrooms, and industrial kitchens where hygiene and durability are critical.	Standard configuration

03 Application information

Intended applications	Storage & Organisation
Industries	Food & Beverage Processing, General Manufacturing, Pharmaceutical Manufacturing, Research Laboratories

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.