

PRODUCT RANGE SPECIFICATION

A66212 – Stainless Steel Mixing Paddle Combination Face

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	A66212{PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	Grade 304 stainless steel mixing paddle combining square and rounded face edges, with solid and perforated options for different mixing tasks. Crafted from 304 stainless steel, this paddle is hygienic, corrosion-resistant, and built to withstand heavy-duty food processing environments. Available in solid or perforated versions, it is suitable for various mixing applications, from thick batters to liquid-based blends. The 900 mm and 1200 mm handle options ensure deep reach, making it an essential tool for food production facilities, bakeries, and commercial kitchens.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield A66212 Grade 304 stainless steel mixing paddle with combined square and rounded face edges. Solid or perforated face and 900 mm or 1200 mm handle as selected.

02 Models and configurations


MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
A66212(P-0900)	A66212(P-0900) Stainless Steel Mixing Paddle Combination Face with Perforations 900mm Length	Face Style: Perforated Length: 900 mm
	Face Style: Perforated. Length: 900.	
A66212(P-1200)	A66212(P-1200) Stainless Steel Mixing Paddle Combination Face with Perforations 1200mm Length	Face Style: Perforated Length: 1200 mm
	Face Style: Perforated. Length: 1200.	
A66212(S-0900)	A26212 Mixing Paddle Stainless 900mm	Face Style: Solid Length: 900 mm
A66212(S-1200)	A66212(S-1200) Stainless Steel Mixing Paddle Combination Face 1200mm Length	Face Style: Solid Length: 1200 mm
	Face Style: Solid. Length: 1200.	

03 Application information


Intended applications	Mixing & Agitation
Industries	Food & Beverage Processing, Foodservice & Catering

Typical lead time	10–15 working days
Warranty	12 months


Product drawings and images




PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.