MODEL SPECIFICATION

# B08147(109-0350x0350x300-W40) – Sink Drop-In Single Bowl 350mm (L) x 350mm (W)

| DOCUMENT SCOPE | DOCUMENT REFERENCE | DATA STATUS | GENERATED ON |
|---|---|---|---|
| Model | B08147(109-0350x0350x300-W40){PSS} | Published catalogue data | 6 Nov 2026 |

## 01 Model specification

Drop-In Sink Stainless Steel Grade 304 0.9mm Thick, 350mm (L) x 350mm (W) Internal Bowl Dimensions, 300mm Bowl Depth, with 20mm Mounting Flange Extension, 20mm Bowl Corner Radius and Ø40mm Waste Outlet

## 02 Technical specifications

| PARAMETER | VALUE | UNIT | TECHNICAL NOTE |
|---|---|---|---|
| Material | Stainless Steel Grade 304 | – | The primary material used in the construction of the item. Certain components may be manufactured from different materials. |
| Material Thickness | 0.9 | mm | The thickness of the material used for the item's primary construction. The thickness of individual components may vary. |
| Number of Bowls | 1 | – | – |
| Bowl Length | 350 | mm | The length of the bowl typically as measured from left to right. |
| Bowl Width | 350 | mm | – |
| Bowl Depth | 300 | mm | – |
| Waste Outlet Diameter | 40 | mm | – |
| Mounting Flange Extension | 20 | mm | Distance the mounting flange extends outward from the bowl edge. |
| Bowl Corner Radius | 20 | mm | – |

## 03 Model and supply data

| | |
|---|---|
| Parent product | B08147 — Drop-In Sinks |
| Typical lead time | 10–15 working days |
| Warranty | 24 months |

## 04 Specification notes

| | |
|---|---|
| **Configuration description** | For drop-in, also called drop-on, installation into a countertop opening from above. The 20mm mounting flange rests on the countertop. The specified bowl dimensions are internal dimensions; confirm the selected model and installation drawing before preparing the countertop cut-out. |
| **Short Form Specification** | **SPECIFICATION USE**<br>Use this description when specifying this model.<br><br>Drop-In Sink Stainless Steel Grade 304 0.9mm Thick, 350mm (L) x 350mm (W) Internal Bowl Dimensions, 300mm Bowl Depth, with 20mm Mounting Flange Extension, 20mm Bowl Corner Radius and Ø40mm Waste Outlet |
| **Detailed specification** | Bowl Length: 350mm<br>Bowl Width: 350mm<br>Bowl Depth: 300mm<br>Material: Stainless Steel Grade 304<br>Material Thickness: 0.9mm<br>Number of Bowls: 1<br>Waste Outlet Diameter: Ø40mm<br>Mounting Flange Extension: 20mm<br>Bowl Corner Radius: 20mm<br>Dimensions are internal bowl dimensions.<br>Installation: Drop-In from Above the Countertop |

## 05 Frequently asked questions

**How is the B08147 sink installed?**

B08147 is a drop-in, also called drop-on, sink. The bowl is lowered into a countertop cut-out from above, with the 20mm mounting flange resting on the countertop. Confirm the selected model and installation drawing before cutting the countertop.

**Which bowl sizes and depths are available?**

Choose internal bowl dimensions of 350 x 350mm, 400 x 400mm, 450 x 450mm or 500 x 500mm. Each square size is available at 250mm or 300mm deep, with a 20mm mounting flange extension and a 20mm bowl corner radius.

**Which material grade and thicknesses are available?**

All standard configurations use Grade 304 stainless steel. The default thickness is 1.2mm, with 0.9mm also available in the standard selector. Enable Advanced Customisation to select 1.5mm.

**What does W40 mean in the item code?**

The standard waste outlet is Ø90mm. W40 identifies a model with a Ø40mm waste outlet. Choose the outlet to match the specified waste fitting and drainage arrangement.

**Are the listed bowl sizes the countertop cut-out dimensions?**

No. The listed length, width and depth are internal bowl dimensions. Confirm the overall dimensions, mounting flange and installation drawing for the selected model before preparing the countertop opening.

**Does the product image show every configuration?**

The image shows the 500 x 500 x 250mm bowl with the Ø40mm W40 waste outlet. Bowl size, depth and waste outlet vary with the selected model; check its specification sheet.

## Product drawings and images



**ISOMETRIC VIEW** · 500 x 500 x 250mm W40 model shown. Bowl dimensions and waste outlet vary by configuration.

**VERIFICATION REQUIRED** Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.