PRODUCT RANGE SPECIFICATION

B08147 – Drop-In Sinks

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B08147{PSS}	Published catalogue data	6 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b08147-drop-in-sinks#specifications

01 Product description and specification

Product description

Grade 304 stainless steel drop-in sink bowls that fit into a countertop opening from above, with a 20mm mounting flange resting on the countertop. Choose four square bowl sizes, 250mm or 300mm depth and Ø90mm or Ø40mm W40 waste outlet. Standard 1.2mm or 0.9mm thickness; 1.5mm under Advanced Customisation.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield B08147 Single-Bowl Drop-In Sink, Grade 304 Stainless Steel, for Installation into a Countertop from Above. Internal Square Bowl Sizes 350, 400, 450 or 500mm; Bowl Depth 250mm or 300mm; 20mm Mounting Flange Extension; 20mm Bowl Corner Radius; Standard Ø90mm or Optional Ø40mm W40 Waste Outlet. Default 1.2mm Thickness, 0.9mm Standard Alternative and 1.5mm Advanced Customisation.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Mounting Flange Extension	20	mm	Distance the mounting flange extends outward from the bowl edge.

03 Configuration options

Bowl Length	350 mm; 400 mm; 450 mm; 500 mm
Bowl Width	350 mm; 400 mm; 450 mm; 500 mm
Bowl Depth	250 mm; 300 mm
Waste Outlet Diameter	40 mm; 90 mm
Material Thickness	0.9 mm; 1.2 mm

Options vary by model; not every combination is available. Use the product page to select a model.

04 Functional features

01 **Drop-In Installation**
The bowl drops into a countertop opening from above, with its 20mm mounting flange resting on the countertop.

02 **Grade 304 Stainless Steel**
Grade 304 throughout the standard range, with 1.2mm as the default thickness and 0.9mm as a standard alternative.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

03 Square Bowl Sizes
Choose 350 x 350mm, 400 x 400mm, 450 x 450mm or 500 x 500mm internal bowl dimensions, at 250mm or 300mm deep.

04 Waste Outlet Options
Standard Ø90mm waste outlet, with Ø40mm available on models identified by the W40 suffix.

05 20mm Flange and Corner Radius
Every standard configuration has a 20mm mounting flange extension and a 20mm bowl corner radius.

06 Advanced Thickness Option
Enable Advanced Customisation to select 1.5mm Grade 304 stainless steel.

05 Application information

Intended applications	Food Preparation Workstations, Kitchen Washing & Warewashing
Industries	Food & Beverage Processing, Hospitality & Foodservice

06 Supply and support

Typical lead time	10–15 working days
Warranty	24 months

07 Frequently asked questions

How is the B08147 sink installed?
B08147 is a drop-in, also called drop-on, sink. The bowl is lowered into a countertop cut-out from above, with the 20mm mounting flange resting on the countertop. Confirm the selected model and installation drawing before cutting the countertop.

Which bowl sizes and depths are available?
Choose internal bowl dimensions of 350 x 350mm, 400 x 400mm, 450 x 450mm or 500 x 500mm. Each square size is available at 250mm or 300mm deep, with a 20mm mounting flange extension and a 20mm bowl corner radius.

Which material grade and thicknesses are available?
All standard configurations use Grade 304 stainless steel. The default thickness is 1.2mm, with 0.9mm also available in the standard selector. Enable Advanced Customisation to select 1.5mm.

What does W40 mean in the item code?
The standard waste outlet is Ø90mm. W40 identifies a model with a Ø40mm waste outlet. Choose the outlet to match the specified waste fitting and drainage arrangement.

Are the listed bowl sizes the countertop cut-out dimensions?
No. The listed length, width and depth are internal bowl dimensions. Confirm the overall dimensions, mounting flange and installation drawing for the selected model before preparing the countertop opening.

Does the product image show every configuration?
The image shows the 500 x 500 x 250mm bowl with the Ø40mm W40 waste outlet. Bowl size, depth and waste outlet vary with the selected model; check its specification sheet.

Product drawings and images



ISOMETRIC VIEW · 500 x 500 x 250mm W40 model shown. Bowl dimensions and waste outlet vary by configuration.

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.