

MODEL SPECIFICATION

B17635(N) – Grade 304 Stainless Steel Squat Pan with Integral Flushing Rim and No Integral Trap.



PRODUCT IMAGE

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Model	B17635(N){PSS}	Published catalogue data	5 Oct 2026

01 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Trap Type	Without Integral Trap	—	—


02 Model and supply data

Parent product	B17635 – Squat Pans
Typical lead time	10–15 working days
Warranty	12 months


03 Specification notes

Configuration description	Floor-mounted squat pan with an integral flushing rim for public and institutional toilet installations. Selected configuration: Trap Type: Without Intergral Trap.
Short Form Specification	SPECIFICATION USE Use this description when specifying this model. Basterfield B17635N. Floor-mounted squat pan with an integral flushing rim for public and institutional toilet installations. Selected configuration: Trap Type: Without Intergral Trap.
Detailed specification	- Model: B17635N - Trap Type: Without Intergral Trap


Product drawings and images



FRONT VIEW · B17635(PB) only – front view (dimensions in mm)




TOP VIEW · B17635(PB) only – top view (dimensions in mm)



RIGHT

RIGHT VIEW · B17635(PB) only – right view (dimensions in mm)



TOP RIGHT

ISOMETRIC VIEW · B17635(PB) only – top-right view

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.