

MODEL SPECIFICATION

B17635(S) – Grade 304 Stainless Steel Squat Pan with Integral Flushing Rim and S-Trap.



PRODUCT IMAGE

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Model	B17635(S){PSS}	Published catalogue data	5 Oct 2026

01 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Trap Type	S-Trap	—	—


02 Model and supply data


Parent product	B17635 – Squat Pans
Typical lead time	10–15 working days
Warranty	12 months

03 Specification notes


Configuration description	Floor-mounted squat pan with an integral flushing rim for public and institutional toilet installations. Selected configuration: Trap Type: S-Trap.
Short Form Specification	SPECIFICATION USE Use this description when specifying this model. Basterfield B17635S. Floor-mounted squat pan with an integral flushing rim for public and institutional toilet installations. Selected configuration: Trap Type: S-Trap.
Detailed specification	- Model: B17635S - Trap Type: S-Trap

Product drawings and images

**FRONT VIEW** · B17635(PB) only – front view (dimensions in mm)




TOP VIEW · B17635(PB) only – top view (dimensions in mm)



RIGHT

RIGHT VIEW · B17635(PB) only – right view (dimensions in mm)



TOP RIGHT

ISOMETRIC VIEW · B17635(PB) only – top-right view

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.