
PRODUCT RANGE SPECIFICATION

B17653 – Stainless Steel Prison Toilet with Internal Mounting Flanges



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B17653{PSS}	15 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b17653-stainless-steel-prison-toilet-with-internal-mounting-flanges#specifications

01 Product description and specification

Product description	Shrouded Grade 304 stainless steel back-to-wall toilet pan with internal mounting flanges for correctional and institutional washrooms.
Short Form Specification	**SPECIFICATION USE** Use this description when specifying this product range. Basterfield B17653. Stainless Steel Prison Toilet with Internal Mounting Flanges. Extended Pipes: No, Yes. The integral stainless steel P-Trap features a 110 mm waste outlet, designed to seamlessly integrate with standard sewerage systems. For additional customization, the B17653 Secure WC Pan can be supplied with extended inlet and outlet pipes, available in 250 mm as standard, with custom lengths available upon request.

02 Configuration options

Extended Pipes	No; Yes

Options vary by model; not every combination is available. Use the product page to select a model.

03 Application information


Intended applications	Secure Ablutions
Industries	Prisons & Detention Facilities

04 Supply and support


Typical lead time	10–15 working days
Warranty	12 months

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

Product drawings and images



PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.