
PRODUCT RANGE SPECIFICATION

B17655(PB) – Shrouded Floor-Mounted Stainless Steel Toilet with P-Trap



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B17655(PB){PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b17655pb-shrouded-floor-mounted-stainless-steel-toilet-with-p-trap#specifications

01 Product description and specification

Product description	Shrouded Grade 304 stainless steel toilet pan with a P-trap, back-entry flush inlet and floor and wall mounting provisions.
Short Form Specification	**SPECIFICATION USE** Use this description when specifying this product range. Basterfield B17655(PB). Shrouded Floor-Mounted Stainless Steel Toilet with P-Trap. It incorporates a concealed flushing rim and an integrated P-trap with a 102 mm outlet suitable for standard 110 mm sewer connections. The pan is secured with internal mounting flanges—rear and floor-mounted—with 12 mm diameter holes for M10 security bolts.

02 Application information


Intended applications	Public Restrooms
Industries	Government & Public Sector

03 Supply and support

Typical lead time	10–15 working days
Warranty	12 months


121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

Product drawings and images



RIGHT

PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.