PRODUCT RANGE SPECIFICATION

B17685 – Maximum Security Combined Toilet and Wash Hand Basin



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B17685{PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b17685-maximum-security-combined-toilet-and-wash-hand-basin#specifications

01 Product description and specification

Product description

Grade 304 stainless steel toilet and wash hand basin combination for prisons and detention facilities, with a shrouded WC pan, rear mounting and a 150 mm splashback. Select pan position, paper holder and security wall sleeve.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield B17685 maximum-security combined WC pan and wash hand basin. One-piece Grade 304 stainless steel construction; shrouded WC pan enclosing the P-trap; integral flushing rim; wash hand basin with 40 mm waste outlet; 150 mm high rear splashback. WC pan position: left, centre or right relative to the basin, as selected. Rear mounting through internal flanges using threaded rods. Concealed integral toilet paper holder and galvanised mild steel security wall sleeve with integral anti-escape bars according to the selected model. Security tapware is optional and must be specified separately. Confirm mounting, pan handing and plumbing connections for the selected configuration.

02 Configuration options

WC Pan Position	Centre; Left; Right
Concealed Toilet Paper Holder	No; Yes
Security Wall Sleeve	No; Yes

Options vary by model; not every combination is available. Use the product page to select a model.

03 Functional features

01 **Combined toilet and handwashing fixture**
A one-piece Grade 304 stainless steel unit combines a WC pan and wash hand basin for prisons, holding cells and detention facilities.

02 **Shrouded WC pan**
The WC pan is shrouded to enclose the P-trap within the combination unit.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

03 **Rear-mounted fixings**
Threaded rods inserted from behind the wall secure the unit to mounting points on its internal flanges.

04 **Left, centre or right pan position**
The WC pan can be positioned to the left, centre or right relative to the wash hand basin, according to the selected configuration.

05 **Integral basin and rear splashback**
The wash hand basin has a 40 mm waste outlet, and the unit incorporates a 150 mm high rear splashback.

06 **Integral flushing rim**
The WC pan has an integral flushing rim designed to prevent contraband storage within the rim.

07 **Optional security tapware**
Security tapware can be specified with concealed flushing and push-button operation. The described spout arrangement provides handwashing and drinking-fountain flows through a metered valve.

08 **Optional concealed toilet paper holder**
An integral concealed toilet paper holder is available according to the selected model.

09 **Optional security wall sleeve**
The galvanised mild steel sleeve is built into the wall and includes integral anti-escape bars. The combination unit is secured to the sleeve from behind with threaded rods.

04 Application information

Intended applications	Secure Ablutions
Industries	Prisons & Detention Facilities

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

06 Frequently asked questions

Where is the B17685 combination unit intended to be used?
The B17685 is intended for secure ablutions in prisons, holding cells and detention facilities. It combines a toilet and wash hand basin in one unit.

What materials are used?
The combination toilet and basin unit is manufactured from Grade 304 stainless steel. The optional security wall sleeve is manufactured from galvanised mild steel.

Can the WC pan position be selected?
Yes. Left, centre and right WC pan positions are available relative to the wash hand basin. Select the required position and confirm the handing against the project layout before ordering.

How is the unit mounted?
Threaded rods inserted from behind the wall engage with mounting points on the internal flanges. An optional security wall sleeve provides an alternative mounting arrangement, also secured from behind.

What does the optional security wall sleeve provide?
The sleeve is built into the wall behind the unit and incorporates integral anti-escape bars. It is made from galvanised mild steel and accepts the rear threaded-rod fixings for the combination unit.

Is security tapware included with every configuration?
Security tapware is optional and must be specified in the quotation. The described arrangement uses a concealed flush valve, splashback-mounted push-button operation and a metered spout for handwashing and drinking-fountain use.

Can a concealed toilet paper holder be included?

Yes. The concealed integral toilet paper holder is an optional extra. Select Yes for the Concealed Toilet Paper Holder option to choose a model with the holder, or No for a model without it. B17685(C) and B17685(R) do not include a toilet paper holder.

What basin waste and splashback are specified?

The wash hand basin has a 40 mm waste outlet. The combination unit has an integral rear splashback 150 mm high. Confirm the remaining connection and installation details for the selected model.

Which options should be confirmed when requesting a quotation?

Select the WC pan position, concealed toilet paper holder option and security wall sleeve option. Also specify any security tapware required and confirm the mounting and plumbing arrangements against the project requirements.

Product drawings and images



PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.