PRODUCT RANGE SPECIFICATION

B17710 – Stainless Steel Curved Back Urinal



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B17710{PSS}	15 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b17710-stainless-steel-curved-back-urinal#specifications

01 Product description and specification

Product description	Grade 304 stainless steel curved-back trough urinal for flush-valve operation, with a concealed sparge pipe and selectable length and waste outlet position. B17720 is the alternative with built-in mechanical auto-flush.
Short Form Specification	**SPECIFICATION USE** Use this description when specifying this product range. Basterfield B17710 curved-back trough urinal, flush-valve type; welded Grade 304 stainless steel with satin finish; concealed sparge pipe and top water inlet; sound-deadened back panel; 70 mm waste outlet in the selected centre, left-hand or right-hand position; length as selected. Flushing actuation is determined by the specified flush valve and control arrangement. No integral drip-fed tipping tray; specify B17720 for built-in mechanical auto-flush.

02 Configuration options

Length	9 choices, from 915 mm to 2440 mm
Waste Outlet Orientation	Centre; Left Hand; Right Hand

Options vary by model; not every combination is available. Use the product page to select a model.

03 Functional features

01 Flush-valve operation

The urinal is arranged for flushing through a specified flush valve and control. B17720 is the separate model with an integral mechanical tipping tray.

02 Concealed sparge pipe

The concealed sparge pipe distributes flushing water across the urinal from the top water inlet.

03 Grade 304 stainless steel

Welded Grade 304 stainless steel construction with a satin finish and sound-deadened back panel.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

04 Length and waste outlet choices

Select the required length and a centre, left-hand or right-hand 70 mm waste outlet to match the installation layout.

04 Application information

Intended applications	Public Restrooms
Industries	Government & Public Sector, Hotels & Lodges, Schools

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

06 Frequently asked questions

What is the difference between B17710 and B17720?

B17710 is the flush-valve version of the curved-back urinal. B17720 incorporates a mechanical automatic-flush tipping tray: water enters through a drip cock, the tray fills and periodically tips over to flush, then refills. The B17720 mechanism is not infrared or electronically controlled.

How is B17710 flushed?

A flush valve supplies water to the concealed sparge pipe. The selected valve and control arrangement determine how the flush is initiated. Specify that arrangement with your quotation; B17710 does not contain the built-in tipping tray used by B17720.

Does B17710 identify an infrared or electronic flush system?

B17710 identifies the flush-valve urinal model. The activation method depends on the valve and control specified for the installation; the model designation alone does not specify infrared or electronic operation. For the integral drip-fed mechanical automatic-flush version, select B17720.


Which length and waste outlet options can I select?

Choose the required length and waste outlet position in the product configurator. The 70 mm waste outlet is available in centre, left-hand and right-hand configurations. Confirm the selected arrangement against the site plumbing layout.


Product drawings and images



PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.