PRODUCT RANGE SPECIFICATION

B17746 – Conical Bowl Urinal



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B17746{PSS}	16 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b17746-conical-bowl-urinal#specifications

01 Product description and specification

Product description

Wall-mounted conical bowl urinal in 1.2mm Grade 304 stainless steel, with top entry, a fitted spreader and a pre-punched 1½″ waste outlet hole. The body shroud does not fully conceal the plumbing.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield B17746(T) Wall-Mounted Conical Bowl Urinal: Grade 304 Stainless Steel; 1.2mm Construction; Top Entry; Fitted Spreader; Pre-Punched 1½″ Waste Outlet Hole; Weight 6.177 kg. The body shroud does not fully conceal the plumbing.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.
Mounting Type	Wall Mounted	–	–
Flushing Inlet Orientation	Top Entry	–	–
Weight	7	kg	–

03 Functional features

01 Conical Bowl
An individual conical bowl with a sloping front provides a dedicated urinal position.

02 Grade 304 Stainless Steel
Manufactured from 1.2mm Grade 304 stainless steel, with a unit weight of 6.177 kg.

03 Top Entry with Spreader
The B17746(T) has a top-entry water inlet and a spreader fitted inside the bowl.

04 Pre-Punched Waste Outlet Hole
The 1½″ waste outlet hole is pre-punched for coordination with the installation's waste connection.

05 Wall-Mounted Installation
Wall mounting keeps the floor immediately below the bowl clear. Coordinate the mounting position with the water supply and waste routing.

06 Plumbing Visibility
The body shroud does not fully conceal the plumbing. Consider visible pipework when planning the installation and finished appearance.

04 Application information

Intended applications	Public Restrooms, Restrooms & Ablutions
Industries	Colleges & Universities, General Manufacturing, Government & Public Sector, Hotels & Lodges, Restaurants & Cafés, Schools

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

06 Frequently asked questions

What material is the urinal made from?
The B17746(T) is manufactured from 1.2mm Grade 304 stainless steel.

How is the urinal mounted?
The Conical Bowl Urinal is designed for wall mounting, keeping the floor immediately below the bowl clear. Coordinate its mounting position with the top-entry water supply and waste connection.

What inlet and waste provision does it have?
The B17746(T) has a top-entry inlet, a spreader fitted inside the bowl and a pre-punched 1½″ waste outlet hole.

How much does the urinal weigh?
The urinal weighs 6.177 kg.

Does the shroud fully conceal the plumbing?
No. The body has a shroud, but it does not fully conceal the plumbing. Allow for visible water and waste pipework when planning the installation.

Where can the Conical Bowl Urinal be used?
Use it in public restrooms and staff, student or guest ablutions in schools, colleges and universities, hotels and lodges, restaurants and cafés, public-sector facilities and manufacturing workplaces.

What should be coordinated before installation?

Coordinate the wall-mounting position, top-entry water supply and waste connection with the washroom layout. Consider how any visible pipework will be routed, as the body shroud does not fully conceal the plumbing.

E&OE. Specifications are subject to change without notice.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357