PRODUCT RANGE SPECIFICATION

B22310 – Bedpan and Bottle Rack



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B22310{PSS}	13 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b22310-bedpan-and-bottle-rack#specifications

01 Product description and specification

Product description

Bedpan and bottle rack for organised storage of reusable utensils in hospital sluice rooms and healthcare wash-up areas.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield B22310 wall-mounted bedpan and bottle rack in Grade 304 stainless steel, 272 mm wide x 720 mm high. Fixed models: 2 pans / 3 bottles / 305 mm length; 4 pans / 5 bottles / 610 mm; 6 pans / 7 bottles / 915 mm; 8 pans / 9 bottles / 1220 mm. Length follows the chosen capacity. Protective rubber grommets at bottle openings, removable stainless steel drip tray and pre-punched 10 mm diameter wall-mounting holes.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Width	272	mm	The width of the item typically as measured from front to back.
Height	720	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.

03 Configuration options

Bedpan Capacity	2; 4; 6; 8

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

Bottle Capacity	3; 5; 7; 9

Options vary by model; not every combination is available. Use the product page to select a model.


04 Application information

Intended applications	Sluice Rooms (Dirty Utility Rooms)
Industries	Hospitals & Clinics


05 Supply and support

Typical lead time	10–15 working days
Warranty	24 months

Product drawings and images




PRODUCT IMAGE




TOP RIGHT

PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.