

PRODUCT RANGE SPECIFICATION

B22320(WM) – Wall-Mounted Surgeon Scrub-Up Sink

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B22320(WM){PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	---------------------------------------	---	-----------------------------

01 Product description and specification

Product description	Wall-mounted surgeon scrub-up sink for clinical handwashing. Specify the basin arrangement and tap configuration for the required scrub stations. Constructed from heavy-duty Grade 304 stainless steel in either 1.2 mm or 1.5 mm thickness, the unit offers outstanding durability and resistance to corrosion, ensuring long service life in demanding clinical settings. The polished satin finish further enhances hygienic maintenance while presenting a professional appearance suitable for hospital and laboratory use. The scrub-up sink is available in standard lengths of 900 mm, 1200 mm, 1500 mm, 1800 mm, 2100 mm, and 2400 mm, with an overall width of 455 mm and trough height of 620 mm (excluding splashback). An integral 150 mm splashback provides effective wall protection against water splashes. Drainage is via a Ø40 mm outlet, with a single outlet on units up to 1800 mm, and dual outlets provided on larger models from 2100 mm to 2400 mm. The double-walled pressed and welded design ensures rigidity and prevents distortion during heavy use. Installation is wall-mounted, supported by a robust bracket system that provides maximum floor clearance – suited to clinical areas requiring unobstructed cleaning beneath the unit. The unit is manufactured in South Africa and exceeds hospital and institutional sanitation standards, making it particularly suited to operating theatres, surgical suites, pharmaceutical cleanrooms, and healthcare facilities where stringent hygiene protocols are mandatory.
---------------------	--

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B22320(WM). Wall-Mounted Surgeon Scrub-Up Sink. Material: stainless steel Grade 304. Material Thickness: 1.2 mm, 1.5 mm. Length: 900 mm, 1200 mm, 1500 mm, 1800 mm, 2100 mm, 2400 mm. The scrub-up sink is available in standard lengths of 900 mm, 1200 mm, 1500 mm, 1800 mm, 2100 mm, and 2400 mm, with an overall width of 455 mm and trough height of 620 mm (excluding splashback). An integral 150 mm splashback provides effective wall protection against water splashes.
--------------------------	--

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22320(WM-112-0900)	Wall Mounted Surgeon's Scrub-Up Trough Stainless Steel 1.2mm Thickness 900mm (L)	Length: 900 mm Material Thickness: 1.2 mm
B22320(WM-112-1200)	B22320(WM-112-1200) Wall Mounted Surgeon's Scrub-Up Sink Stainless Steel Grade 304 1.2mm Thickness 1200mm Length Length: 1200. Material Thickness: 1.2.	Length: 1200 mm Material Thickness: 1.2 mm

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22320(WM-112-1500)	Wall Mounted Surgeon's Scrub-Up Trough Stainless Steel 1.2mm Thickness 1500mm (L)	Length: 1500 mm Material Thickness: 1.2 mm
B22320(WM-112-1800)	SURGEONS SCRUB-UP SINK WM 1800 x 1.2MM	Length: 1800 mm Material Thickness: 1.2 mm
B22320(WM-112-2100)	SURGEONS SCRUB-UP SINK WM 2100 x 1.2MM	Length: 2100 mm Material Thickness: 1.2 mm
B22320(WM-112-2400)	SURGEONS SCRUB-UP SINK WM 2400 x 1.2MM	Length: 2400 mm Material Thickness: 1.2 mm
B22320(WM-115-0900)	Wall Mounted Surgeon's Scrub-Up Trough Stainless Steel 1.5mm Thickness 900mm (L)	Length: 900 mm Material Thickness: 1.5 mm
B22320(WM-115-1200)	SURGEONS SCRUB-UP SINK WM 1200 x 1.5MM	Length: 1200 mm Material Thickness: 1.5 mm
B22320(WM-115-1500)	SURGEONS SCRUB-UP SINK WM 1500 x 1.5MM	Length: 1500 mm Material Thickness: 1.5 mm
B22320(WM-115-1800)	Wall Mounted Surgeon's Scrub-up Trough Stainless Steel 1.5mm Thickness 1800mm (I)	Length: 1800 mm Material Thickness: 1.5 mm
B22320(WM-115-2100)	B22320(WM-115-2100) Wall Mounted Surgeon's Scrub-Up Sink Stainless Steel Grade 304 1.5mm Thickness 2100mm Length Length: 2100. Material Thickness: 1.5.	Length: 2100 mm Material Thickness: 1.5 mm
B22320(WM-115-2400)	SURGEONS SCRUB-UP SINK WM 2400 x 1.5MM	Length: 2400 mm Material Thickness: 1.5 mm

03 Application information

Intended applications	Hygiene Handwashing Stations
Industries	Hospitals & Clinics, Pharmaceutical Manufacturing, Research Laboratories



04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images



PRODUCT IMAGE



VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.