

PRODUCT RANGE SPECIFICATION

B22336(LT-112-1600-HLC) – 1600 mm Slop Hopper and Wash Basin with Cistern and Splashback

|                |                               |                          |              |
|----------------|-------------------------------|--------------------------|--------------|
| DOCUMENT SCOPE | DOCUMENT REFERENCE            | DATA STATUS              | GENERATED ON |
| Product range  | B22336(LT-112-1600-HLC) {PSS} | Published catalogue data | 14 Sep 2026  |

01 Product description and specification

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product description      | <p>1600 mm combination slop hopper and wash basin with a high-level cistern and splashback for institutional sluice rooms.</p> <p>The B22336 (LT-112-1600-HLC) Combination Slop Hopper and Wash Basin is a heavy-duty stainless steel sanitary unit designed for demanding healthcare and institutional environments. This all-in-one fixture features a slop hopper for waste disposal and a wash hand basin, making it suited to hospitals, clinics, and care facilities where hygiene is critical.</p> <p>The slop hopper, positioned on the left side, includes a continuous flushing rim and a conical bowl, ensuring effective and sanitary disposal of both liquid and solid waste. It is designed with an anti-drip raised rim to prevent spillage and features a 110 mm outlet, allowing easy connection to sewerage systems. The wash hand basin, located beside the slop hopper, has a 40 mm outlet for efficient drainage.</p> <p>This model is 1600 mm in length and 600 mm in width, providing ample workspace, including a dedicated drainer space on the right-hand side for added convenience. The unit is constructed using stainless steel with pressed and welded construction, ensuring extreme durability and resistance to corrosion. All welds are ground smooth and polished to a satin finish for easy cleaning and a professional appearance.</p> <p>A high-level cistern with a pull rod/chain flush mechanism is supplied, flushing directly into the slop hopper for efficient waste management. Additionally, this unit features a 150 mm high stainless steel splashback, enhancing hygiene by preventing water and contaminants from splashing onto surrounding surfaces.</p> |
| Short Form Specification | <p><b>SPECIFICATION USE</b></p> <p>Use this description when specifying this product range.</p> <p>Basterfield B22336(LT-112-1600-HLC). 1600 mm Slop Hopper and Wash Basin with Cistern and Splashback. It is designed with an anti-drip raised rim to prevent spillage and features a 110 mm outlet, allowing easy connection to sewerage systems. The wash hand basin, located beside the slop hopper, has a 40 mm outlet for efficient drainage.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

02 Models and configurations

| MODEL                   | DESCRIPTION                                       | PUBLISHED CONFIGURATION |
|-------------------------|---------------------------------------------------|-------------------------|
| B22336(LT-112-1600-HLC) | COMBINATION SLOP HOPPER SB SINK<br>DRAINER LH HLC | Standard configuration  |

03 Application information


|                       |                                            |
|-----------------------|--------------------------------------------|
| Intended applications | Sluice Rooms (Dirty Utility Rooms)         |
| Industries            | Hospitals & Clinics, Research Laboratories |

|                   |                    |
|-------------------|--------------------|
| Typical lead time | 10–15 working days |
| Warranty          | 12 months          |

Product drawings and images




PRODUCT IMAGE




FRONT

PRODUCT IMAGE




PRODUCT IMAGE



TOP

PRODUCT IMAGE



PRODUCT IMAGE

**VERIFICATION REQUIRED** Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.