

PRODUCT RANGE SPECIFICATION

B22345 – Wall Mounted Combination Drip Sink & Wash Hand Basin

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B22345{PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description

Wall-mounted unit combining a drip sink and wash hand basin for healthcare and institutional wash-up areas.

The combination of a wash hand basin and a drip sink saves space within the washing area and ensures an ergonomic and hygienic washing environment for cleaners and janitors. The drip sink and wash hand basin combination sink is a one-piece, fully welded construction eliminating joints or crevices. This reduces the potential of the build-up of contaminants in hard to reach places ensuring the unit is easy to maintain in a sanitary condition. All surfaces are finished in a satin polish finish which is easy to clean and maintain.

The B22345 Wall Mounted Combination Drip Sink & Wash Hand Basin features an integral drip sink with a deep sink for efficient cleaning. The top surface of the drip sink includes a sloped drip ledge to aid in keeping the washing area clean. The drip sink is fitted with a stainless steel hinged grid which allows for placement of a bucket when closed. This makes for easy use by cleaning and janitorial staff. The hinged grid is fitted with rubber stops to protect the unit from careless use. The unit's integral splashback protects the washing area from splashes caused by the emptying of buckets.

The B22345 Wall Mounted Combination Drip Sink & Wash Hand Basin comes with an integral wash hand basin that can be positioned either left or right of the drip sink. The wash hand basin features a 40 mm waste outlet. The B22345 Wall Mounted Combination Drip Sink & Wash Hand Basin can be easily mounted to the wall with the supplied heavy duty wall mounting brackets. Front support legs can be supplied for additional support.

Construction and features

- Wall mounted combination cleaner's sink and wash hand basin.
- All surfaces feature a satin polish finish for a highly aesthetic unit.
- A fully welded design results in no joints or crevices ensuring a hygienic unit suitable for the sanitary requirements of hospitals.
- The top slab also features a turn down all around to increase strength, durability and make for an aesthetically pleasing unit.
- Both the slop hopper and wash hand basin feature a single integral splashback to the rear.
- The splashback assists in keeping the washroom area clean from splashes caused by the emptying of buckets into the drip sink.
- Extended splashbacks are available where required.
- The combination unit features a drip sink which offers an efficient sink for cleaning and emptying of buckets.
- The surface at the top of the drip sink features a sloped drip ledge to prevent dirtying of the cleaning area.
- A stainless steel hinged grid is positioned over the sink to allow for easy bucket drainage.
- Features an integral wash hand basin which can be positioned either left or right of the slop hopper.
- The wash hand basin is suitable for use with deck mounted tapware including pillar taps.
- The bottom of the basin is fitted with a 40 mm waste outlet.
- The unit is easily installed with heavy duty wall mounting brackets.
- The unit can be supplied with front support legs for additional support.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield B22345. Wall Mounted Combination Drip Sink & Wash Hand Basin. Extended Splashback: No, Yes. Front Support Legs: No, Yes. Wash Hand Basin Orientation: Left, Right. The wash hand basin features a 40 mm waste outlet. The bottom of the basin is fitted with a 40 mm waste outlet.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22345L	B22345L Wall Mounted Combination Drip Sink & Left-Hand Wash Hand Basin Extended Splashback: No. Front Support Legs: No. Wash Hand Basin Orientation: Left.	Extended Splashback: No Front Support Legs: No Wash Hand Basin Orientation: Left
B22345LE	B22345LE Wall Mounted Combination Drip Sink & Left-Hand Wash Hand Basin With Extended Splashback Extended Splashback: Yes. Front Support Legs: No. Wash Hand Basin Orientation: Left.	Extended Splashback: Yes Front Support Legs: No Wash Hand Basin Orientation: Left
B22345LEF	B22345LEF Wall Mounted Combination Drip Sink & Left-Hand Wash Hand Basin With Extended Splashback And Front Support Legs Extended Splashback: Yes. Front Support Legs: Yes. Wash Hand Basin Orientation: Left.	Extended Splashback: Yes Front Support Legs: Yes Wash Hand Basin Orientation: Left
B22345LF	B22345LF Wall Mounted Combination Drip Sink & Left-Hand Wash Hand Basin With Front Support Legs Extended Splashback: No. Front Support Legs: Yes. Wash Hand Basin Orientation: Left.	Extended Splashback: No Front Support Legs: Yes Wash Hand Basin Orientation: Left
B22345R	B22345R Wall Mounted Combination Drip Sink & Right-Hand Wash Hand Basin Extended Splashback: No. Front Support Legs: No. Wash Hand Basin Orientation: Right.	Extended Splashback: No Front Support Legs: No Wash Hand Basin Orientation: Right
B22345RE	B22345RE Wall Mounted Combination Drip Sink & Right-Hand Wash Hand Basin With Extended Splashback Extended Splashback: Yes. Front Support Legs: No. Wash Hand Basin Orientation: Right.	Extended Splashback: Yes Front Support Legs: No Wash Hand Basin Orientation: Right
B22345REF	B22345REF Wall Mounted Combination Drip Sink & Right-Hand Wash Hand Basin With Extended Splashback And Front Support Legs Extended Splashback: Yes. Front Support Legs: Yes. Wash Hand Basin Orientation: Right.	Extended Splashback: Yes Front Support Legs: Yes Wash Hand Basin Orientation: Right
B22345RF	B22345RF Wall Mounted Combination Drip Sink & Right-Hand Wash Hand Basin With Front Support Legs Extended Splashback: No. Front Support Legs: Yes. Wash Hand Basin Orientation: Right.	Extended Splashback: No Front Support Legs: Yes Wash Hand Basin Orientation: Right

03 Application information

Intended applications	Sluice Rooms (Dirty Utility Rooms)
Industries	Hospitals & Clinics

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.