

PRODUCT RANGE SPECIFICATION

B22350 – Plaster Of Paris Preparation Sink

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B22350{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	Plaster of Paris preparation sink for mixing and wash-up tasks in clinical plaster preparation areas. Constructed from Grade 304 (18/10) stainless steel in either 1.2 mm or 1.5 mm thickness, this unit offers exceptional corrosion resistance and durability. A 150 mm high integral rear splashback is incorporated to protect surrounding wall surfaces from splashes and debris during use. The sink features a preparation bowl measuring 525 mm (L) x 425 mm (W) x 250 mm (D) with a waste outlet that discharges directly into a cylindrical waste trap measuring 250 mm in diameter and 625 mm in depth. The waste cylinder is fitted with a stainless steel lid and a removable strainer, providing an effective method of collecting and disposing of plaster residues before wastewater enters the drainage system. The waste outlet is designed for a standard 40 mm diameter connection, ensuring compatibility with common plumbing fittings. The B22350 is mounted using 40 mm x 40 mm square stainless steel gallows brackets for secure wall fixing. Optional 40 mm square stainless steel front support legs with adjustable foot pieces are available for additional stability, particularly in high-use environments. This sink is manufactured in multiple lengths – 1200 mm, 1500 mm, 1850 mm, and 2400 mm – making it suitable for different workspace requirements.
---------------------	---

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B22350. Plaster Of Paris Preparation Sink. Material Thickness: 1.2 mm, 1.5 mm. Length: 1200 mm, 1500 mm, 1850 mm, 2400 mm. Front Support Legs: No, Yes. Bowl Orientation: Left Hand, Right Hand. A 150 mm high integral rear splashback is incorporated to protect surrounding wall surfaces from splashes and debris during use. The sink features a preparation bowl measuring 525 mm (L) x 425 mm (W) x 250 mm (D) with a waste outlet that discharges directly into a cylindrical waste trap measuring 250 mm in diameter and 625 mm in depth.
--------------------------	---

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22350(112-1200-L)	B22350(112-1200-L) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1200mm with Left Hand Sink Front Support Legs: No. Length: 1200. Material Thickness: 1.2. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: No Length: 1200 mm Material Thickness: 1.2 mm

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22350(112-1200-LL)	B22350(112-1200-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1200mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1200. Material Thickness: 1.2. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 1200 mm Material Thickness: 1.2 mm
B22350(112-1200-RL)	B22350(112-1200-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1200mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1200. Material Thickness: 1.2. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 1200 mm Material Thickness: 1.2 mm
B22350(112-1200R)	PLASTER OF PARIS PREPARATION SINK TO B22350(PSS) 1200 RH	Bowl Orientation: Right Hand Front Support Legs: No Length: 1200 mm Material Thickness: 1.2 mm
B22350(112-1500-LL)	B22350(112-1500-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1500mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1500. Material Thickness: 1.2. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 1500 mm Material Thickness: 1.2 mm
B22350(112-1500-RL)	B22350(112-1500-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1500mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1500. Material Thickness: 1.2. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 1500 mm Material Thickness: 1.2 mm
B22350(112-1500L)	PLASTER OF PARIS PREPARATION SINK TO B22350{PSS} 1500 LH	Bowl Orientation: Left Hand Front Support Legs: No Length: 1500 mm Material Thickness: 1.2 mm
B22350(112-1500R)	PLASTER OF PARIS PREPARATION SINK TO B22350{PSS} 1500 RH	Bowl Orientation: Right Hand Front Support Legs: No Length: 1500 mm Material Thickness: 1.2 mm
B22350(112-1850-L)	B22350(112-1850-L) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1850mm with Left Hand Sink Front Support Legs: No. Length: 1850. Material Thickness: 1.2. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: No Length: 1850 mm Material Thickness: 1.2 mm

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22350(112-1850-LL)	B22350(112-1850-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1850mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1850. Material Thickness: 1.2. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 1850 mm Material Thickness: 1.2 mm
B22350(112-1850-R)	B22350(112-1850-R) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1850mm with Right Hand Sink Front Support Legs: No. Length: 1850. Material Thickness: 1.2. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: No Length: 1850 mm Material Thickness: 1.2 mm
B22350(112-1850-RL)	B22350(112-1850-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 1850mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1850. Material Thickness: 1.2. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 1850 mm Material Thickness: 1.2 mm
B22350(112-2400-L)	B22350(112-2400-L) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 2400mm with Left Hand Sink Front Support Legs: No. Length: 2400. Material Thickness: 1.2. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: No Length: 2400 mm Material Thickness: 1.2 mm
B22350(112-2400-LL)	B22350(112-2400-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 2400mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 2400. Material Thickness: 1.2. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 2400 mm Material Thickness: 1.2 mm
B22350(112-2400-R)	B22350(112-2400-R) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 2400mm with Right Hand Sink Front Support Legs: No. Length: 2400. Material Thickness: 1.2. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: No Length: 2400 mm Material Thickness: 1.2 mm
B22350(112-2400-RL)	B22350(112-2400-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.2mm Thickness 2400mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 2400. Material Thickness: 1.2. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 2400 mm Material Thickness: 1.2 mm

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22350(115-1200-L)	B22350(115-1200-L) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1200mm with Left Hand Sink Front Support Legs: No. Length: 1200. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: No Length: 1200 mm Material Thickness: 1.5 mm
B22350(115-1200-LL)	B22350(115-1200-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1200mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1200. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 1200 mm Material Thickness: 1.5 mm
B22350(115-1200-R)	B22350(115-1200-R) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1200mm with Right Hand Sink Front Support Legs: No. Length: 1200. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: No Length: 1200 mm Material Thickness: 1.5 mm
B22350(115-1200-RL)	B22350(115-1200-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1200mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1200. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 1200 mm Material Thickness: 1.5 mm
B22350(115-1500-L)	B22350(115-1500-L) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1500mm with Left Hand Sink Front Support Legs: No. Length: 1500. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: No Length: 1500 mm Material Thickness: 1.5 mm
B22350(115-1500-LL)	B22350(115-1500-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1500mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1500. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 1500 mm Material Thickness: 1.5 mm
B22350(115-1500-R)	B22350(115-1500-R) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1500mm with Right Hand Sink Front Support Legs: No. Length: 1500. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: No Length: 1500 mm Material Thickness: 1.5 mm

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22350(115-1500-RL)	B22350(115-1500-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1500mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1500. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 1500 mm Material Thickness: 1.5 mm
B22350(115-1850-L)	B22350(115-1850-L) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1850mm with Left Hand Sink Front Support Legs: No. Length: 1850. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: No Length: 1850 mm Material Thickness: 1.5 mm
B22350(115-1850-LL)	B22350(115-1850-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1850mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1850. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 1850 mm Material Thickness: 1.5 mm
B22350(115-1850-R)	B22350(115-1850-R) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1850mm with Right Hand Sink Front Support Legs: No. Length: 1850. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: No Length: 1850 mm Material Thickness: 1.5 mm
B22350(115-1850-RL)	B22350(115-1850-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1850mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 1850. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 1850 mm Material Thickness: 1.5 mm
B22350(115-2400-L)	B22350(115-2400-L) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 2400mm with Left Hand Sink Front Support Legs: No. Length: 2400. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: No Length: 2400 mm Material Thickness: 1.5 mm
B22350(115-2400-LL)	B22350(115-2400-LL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 2400mm with Left Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 2400. Material Thickness: 1.5. Bowl Orientation: Left Hand.	Bowl Orientation: Left Hand Front Support Legs: Yes Length: 2400 mm Material Thickness: 1.5 mm

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22350(115-2400-R)	B22350(115-2400-R) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 2400mm with Right Hand Sink Front Support Legs: No. Length: 2400. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: No Length: 2400 mm Material Thickness: 1.5 mm
B22350(115-2400-RL)	B22350(115-2400-RL) Plaster of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 2400mm with Right Hand Sink and Front Support Legs Front Support Legs: Yes. Length: 2400. Material Thickness: 1.5. Bowl Orientation: Right Hand.	Bowl Orientation: Right Hand Front Support Legs: Yes Length: 2400 mm Material Thickness: 1.5 mm
B22350(GBSL-115-1200R)	Plaster Of Paris Preparation Sink Stainless Steel Grade 304 1.5mm Thickness 1200mm (l) With Right Hand Sink And Front Support Legs	Standard configuration

03 Application information

Intended applications	Healthcare Utility Rooms
Industries	Hospitals & Clinics, Research Laboratories

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.