
PRODUCT RANGE SPECIFICATION

B22360(TG) – Slop Hopper Top Entry with Grid



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B22360(TG){PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b22360tg-slop-hopper-top-entry-with-grid#specifications

01 Product description and specification

Product description	Wall-mounted Grade 304 stainless steel slop hopper with a top-entry flush pipe, hinged bucket grid and gallows brackets. Cistern and flush valve excluded.
Short Form Specification	**SPECIFICATION USE** Use this description when specifying this product range. Basterfield B22360(TG). Wall-mounted Grade 304 stainless steel slop hopper with a top-entry flush pipe, hinged bucket grid and gallows brackets. Cistern and flush valve excluded.

02 Functional features

01 Grade 304 stainless steel
Pressed and welded stainless steel with a satin finish provides a smooth surface for routine cleaning.

02 Hinged bucket grid
The rear-hinged grid supports a bucket over the hopper and lifts to provide access for cleaning.

03 Wall mounting
Stainless steel gallows brackets support the hopper while leaving the floor beneath accessible for cleaning.

04 Flushing connection
A top-entry flush pipe provides the connection for a separately supplied flushing arrangement. This model does not include a cistern or flush valve.

03 Application information

Intended applications	Hospital Sinks, Sluice Rooms (Dirty Utility Rooms)
Industries	Aged Care & Nursing Homes, Hospitals & Clinics, Schools

04 Supply and support

Typical lead time	10–15 working days

04 Supply and support

Warranty	12 months

05 Frequently asked questions

Where is this model used?

It is intended for waste disposal in healthcare and institutional sluice rooms, including hospital and clinic dirty utility rooms.

What flushing components are supplied?

A top-entry flush pipe provides the connection for a separately supplied flushing arrangement. This model does not include a cistern or flush valve.

What is the bucket grid for?

The hinged grid supports a bucket over the hopper and folds up to provide access for cleaning.

How is this hopper supported?

The hopper is wall mounted using stainless steel gallows brackets.

Product drawings and images



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357