

PRODUCT RANGE SPECIFICATION

B22380(L-1130-T3) – Wall Mounted Bedpan Sluice Sink with Flush Valve

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B22380(L-1130-T3){PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	Wall-mounted bedpan sluice sink with a flush valve for healthcare sluice rooms and bedpan washing areas. The flushing system is operated via a 104B Flush Valve, suitable for mains pressure water systems. The sink includes an integral spray set for both bedpans and bottles, operated by lever-controlled (wrist-action) valves to ensure hands-free operation and infection control. The 1130 mm wide unit features a marine edge to contain liquids and prevent spillover, and a sloped drip ledge to prevent contamination of surrounding surfaces. An integral rear splashback (total height 1050 mm) offers further protection. The unit includes a Ø110 mm waste outlet compatible with standard sewerage/soil pipes (P-trap/gulley not included) and adjustable stainless steel front support legs with levelling feet, in addition to heavy-duty wall brackets for stable wall mounting.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B22380(L-1130-T3). Wall Mounted Bedpan Sluice Sink with Flush Valve. The 1130 mm wide unit features a marine edge to contain liquids and prevent spillover, and a sloped drip ledge to prevent contamination of surrounding surfaces. An integral rear splashback (total height 1050 mm) offers further protection.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22380(L-1130-T3)	Wall Mounted Bedpan Sluice Sink	Standard configuration


03 Application information

Intended applications	Sluice Rooms (Dirty Utility Rooms)
Industries	Hospitals & Clinics


04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images




PRODUCT IMAGE




FRONT

PRODUCT IMAGE




TOP

PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.