

PRODUCT RANGE SPECIFICATION

B30800 – Wall-Mounted Stainless Steel Waste Bin



PRODUCT IMAGE

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B30800{PSS}	DATA STATUS Published catalogue data	GENERATED ON 4 Oct 2026
---------------------------------	-----------------------------------	---	----------------------------

01 Product description and specification

Product description	The Basterfield B30800 is a wall-mounted waste bin manufactured from Grade 304 stainless steel with a satin polished finish. It provides a defined collection point for everyday waste in commercial and institutional facilities. Keyhole slots in the back panel provide the wall mounting points. Hemmed opening edges provide a folded edge at the opening. Position the bin on a suitable supporting wall, with access for depositing waste, emptying and routine cleaning. Choose the fixing method for the wall construction and expected load. Seven nominal capacities are available: 18 L, 21 L, 26 L, 30 L, 36 L, 45 L and 64 L. Select the capacity according to expected waste volume, available wall space and the frequency of emptying. The B30800(064) has overall dimensions of 400 mm length x 300 mm width x 555 mm height. Request the overall dimensions of other capacities when checking installation clearances. Typical locations include public restrooms, staff washrooms, changing rooms and general waste collection points in hospitals, clinics, hotels, catering premises, schools and other public facilities. Select the waste stream and servicing procedure to suit the site. Empty and clean the bin regularly using methods and cleaning products suitable for Grade 304 stainless steel. Check the selected model, mounting location and any liner requirements before ordering.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B30800 wall-mounted waste bin in Grade 304 stainless steel with satin polished finish, keyhole mounting slots and hemmed opening edges. Nominal capacity: 18, 21, 26, 30, 36, 45 or 64 L as scheduled. B30800(064) overall dimensions: 400 mm (L) x 300 mm (W) x 555 mm (H). Confirm dimensions for other capacities.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.

02 Technical specifications

Parameter	Value	Unit	Technical Note
Finish	Satin Polished Finish	—	—
Mounting Type	Wall Mounted	—	—

03 Models and configurations

Model	Description	Published Configuration
B30800(018)	Waste Bin, Grade 304 Stainless Steel, 18 L. Satin Polished Finish; Wall Mounted with Keyhole Slots; Hemmed Opening Edges.	Capacity: 18 L
B30800(021)	Waste Bin, Grade 304 Stainless Steel, 21 L. Satin Polished Finish; Wall Mounted with Keyhole Slots; Hemmed Opening Edges.	Capacity: 21 L
B30800(026)	Waste Bin, Grade 304 Stainless Steel, 26 L. Satin Polished Finish; Wall Mounted with Keyhole Slots; Hemmed Opening Edges.	Capacity: 26 L
B30800(030)	Waste Bin, Grade 304 Stainless Steel, 30 L. Satin Polished Finish; Wall Mounted with Keyhole Slots; Hemmed Opening Edges.	Capacity: 30 L
B30800(036)	Waste Bin, Grade 304 Stainless Steel, 36 L. Satin Polished Finish; Wall Mounted with Keyhole Slots; Hemmed Opening Edges.	Capacity: 36 L
B30800(045)	Waste Bin, Grade 304 Stainless Steel, 45 L. Satin Polished Finish; Wall Mounted with Keyhole Slots; Hemmed Opening Edges.	Capacity: 45 L
B30800(064)	Waste Bin, Grade 304 Stainless Steel, 64 L. Satin Polished Finish; Wall Mounted with Keyhole Slots; Hemmed Opening Edges. Overall Dimensions: 400 mm (L) x 300 mm (W) x 555 mm (H).	Capacity: 64 L Overall dimensions: 400 × 300 × 555 mm (L × W × H)

04 Functional features


01	Grade 304 stainless steel Grade 304 stainless steel construction for the B30800 waste-bin range.
02	Seven capacity options Select 18, 21, 26, 30, 36, 45 or 64 L to suit the waste volume and servicing routine.
03	Wall mounting Back-panel keyhole slots provide mounting points on a suitable supporting wall.
04	Satin polished finish A satin polished stainless steel surface.
05	Hemmed opening edges Folded edges at the bin opening.
06	64 L model dimensions B30800(064) measures 400 mm long x 300 mm wide x 555 mm high overall.

Intended applications	Change Rooms & Locker Rooms, Hygienic Wash-Down & Cleaning, Public Restrooms, Restrooms & Ablutions
Industries	Aged Care & Nursing Homes, Colleges & Universities, Government & Public Sector, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés, Schools

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.