PRODUCT RANGE SPECIFICATION

B30840(T) – Three-Compartment PPE Dispenser



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B30840(T){PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b30840t-three-compartment-ppe-dispenser#specifications

01 Product description and specification

Product description

Large 3-compartment PPE dispenser in Grade 304 stainless steel, measuring 750 mm long x 170 mm wide x 220 mm high. A hinged lid provides refill access, while keyhole slots allow wall mounting at changing rooms, work-area entrances and PPE issue points. Use 3 separate compartments to organise suitable disposable PPE such as hair nets, beard covers, masks or shoe covers. Select the contents to suit the available space and the workplace PPE procedure.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield B30840(T) large 3-compartment PPE dispenser, Grade 304 stainless steel, 750 mm (L) x 170 mm (W) x 220 mm (H) overall. Provide 3 separate compartments, a hinged refill lid and keyhole slots for wall mounting. Allow lid-opening clearance and select fixings for the mounting surface.

02 Functional features

01 **Compartment arrangement**
Its 3 separate compartments allow different PPE types or sizes to be organised in one wall mounted unit.

02 **Grade 304 stainless steel**
Manufactured from Grade 304 stainless steel.

03 **Specified overall dimensions**
750 mm length x 170 mm width x 220 mm height.

04 **Hinged refill lid**
The hinged lid provides access to replenish the stored PPE.

05 **Keyhole mounting slots**
Keyhole slots provide mounting points for locating the dispenser on a suitable wall.

03 Application information

Intended applications	Change Rooms & Locker Rooms, Laboratory Work Areas, PPE Storage & Dispensing, Pharmaceutical Support Areas, Storage & Organisation
Industries	Aged Care & Nursing Homes, Bakeries, Clinical Laboratories, Dairy & Beverage Processing, Fish & Seafood Processing, Food & Beverage Processing, Fresh Produce & Packhouses, General Manufacturing, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Meat & Poultry Processing, Pharmaceutical Manufacturing, Research Laboratories, Restaurants & Cafés, Veterinary Services

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

05 Frequently asked questions

How many compartments does this model have?

B30840(T) has 3 separate compartments. Choose the arrangement to suit the PPE types or sizes you need to separate.

What are the overall dimensions?

750 mm length x 170 mm width x 220 mm height. These are overall product dimensions, not a stated internal storage capacity.

What material is specified?

Grade 304 stainless steel.

How is the dispenser refilled?

Open the hinged lid to replenish supplies. Allow enough space above the installed dispenser for lid access.

How is it mounted?

The dispenser has keyhole mounting slots for wall mounting. Select fixings for the support surface and confirm their requirements for the installation.

Which PPE can it hold?

Suitable disposable PPE may include hair nets, beard covers, masks or shoe covers, depending on size, packaging and the site dispensing procedure. Check the intended contents for fit before ordering.


Where can the dispenser be used?

Use it at PPE issue points, changing rooms and work-area entrances in food processing, healthcare, laboratories, pharmaceutical facilities, manufacturing and catering. It can also serve kitchen or housekeeping PPE issue points where the workplace procedure requires them.

Which other compartment arrangements are available?

The supplied B30840 large range comprises B30840(S), one compartment at 250 mm long; B30840(D), two at 500 mm; B30840(T), three at 750 mm; and B30840(Q), four at 1000 mm. All four are 170 mm wide and 220 mm high.

Product drawings and images



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.