PRODUCT RANGE SPECIFICATION

B30847 – Wall Mounted Stainless Steel Glove Dispenser



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B30847{PSS}	13 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b30847-stainless-steel-glove-box-holder#specifications

01 Product description and specification

Product description

Wall mounted glove dispenser in 1.2mm Grade 304 stainless steel, with an open front and rear keyhole mounting slots. Internal space: 216mm (L) × 65mm (W) × 450mm (H).

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield B30847 glove dispenser, ordering code B30847(120). Full Grade 304 stainless steel construction, 1.2mm thickness, with an open front and rear keyhole mounting slots. Internal dimensions: 216mm (L) × 65mm (W) × 450mm (H). Overall dimensions shown on the existing drawings: 218mm (L) × 67mm (W) × 451mm (H). Front opening width: 116mm. Wall mounted storage for boxed disposable gloves; check box dimensions and dispensing access before ordering.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	–	Full Stainless Steel Grade 304 construction.
Material Thickness	1.2	mm	1.2mm stainless steel construction.
Internal Length	216	mm	Internal glove-box storage length; not the overall external length.
Internal Width	65	mm	Internal front-to-back glove-box storage dimension; not the overall external width.
Internal Height	450	mm	Internal glove-box storage height; not the overall external height.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Length	218	mm	Overall external length of 218mm as labelled on the existing top and front drawings.
Width	67	mm	Overall external front-to-back width of 67mm as labelled on the existing top drawing.
Height	451	mm	Overall external height of 451mm as labelled on the existing front drawing.
Front Opening Width	116	mm	Clear front opening width of 116mm as labelled on the existing front drawing.
Mounting Type	Wall Mounted	–	–
Mounting Hardware	Rear Keyhole Mounting Slots	–	Keyhole slots are built into the rear panel; confirm the required wall fixings when ordering.
Access Design	Open Front	–	–

03 Functional features

01 1.2mm Grade 304 Stainless Steel
Full Grade 304 stainless steel construction with 1.2mm material thickness provides a durable dispenser with resistance to corrosion and staining.

02 Open-Front Glove Access
The open front lets users reach gloves from the box without opening a lid or door, supporting convenient access during frequent glove use.

03 Rear Keyhole Mounting Slots
Keyhole slots in the back panel allow the dispenser to hang on suitable wall fixings for straightforward wall installation.

04 Defined Internal Storage Space
Internal dimensions are 216mm (L) × 65mm (W) × 450mm (H). Check the intended glove box and its dispensing opening for fit.

05 Easy-to-Clean Construction
Stainless steel surfaces are easy to clean and maintain as part of the workplace cleaning routine.

06 Organised Point-of-Use Storage
Wall mounting keeps the glove box off the work surface and provides a consistent, accessible location for disposable gloves.

04 Application information

Intended applications	Food Preparation Workstations, Laboratory Work Areas, Patient Care & Examination, Pharmaceutical Support Areas, Storage & Organisation
Industries	Food & Beverage Processing, Hospitals & Clinics, Pharmaceutical Manufacturing, Research Laboratories

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

06 Frequently asked questions

Which item code should I order?

Order B30847(120), the linked item for the B30847 glove dispenser. It is manufactured from 1.2mm Grade 304 stainless steel with rear keyhole mounting slots.

What are the internal dimensions?

The internal glove-box storage dimensions are 216mm length × 65mm width × 450mm height. These are internal dimensions, not the overall external envelope.

What are the overall dimensions?

The existing top and front drawings show an overall envelope of 218mm length × 67mm width × 451mm height. The front opening is 116mm wide.

Which glove boxes will fit?

Compare the box dimensions with the 216mm × 65mm × 450mm internal space and check that the dispensing opening remains accessible through the 116mm-wide front opening. Glove boxes vary, so capacity and compatibility should be confirmed for the packaging you use.

What material and thickness are used?

The dispenser is constructed from Stainless Steel Grade 304 with a material thickness of 1.2mm.

How is the dispenser mounted?

Keyhole slots in the rear panel allow wall mounting on suitable fixings. Choose fixings for the wall construction and leave access for replenishing the glove box. Confirm any required fixing supply when ordering.

Do I need to open a lid to take out gloves?

No. The dispenser has an open front, providing access to gloves from the box without opening a lid or door.


Where can the dispenser be used?

Typical locations include examination and treatment areas, laboratory work areas, food preparation and processing workstations, and pharmaceutical support areas where disposable gloves are used frequently.


How should the dispenser be cleaned?

Clean the dispenser using products and methods suitable for Grade 304 stainless steel and the workplace cleaning procedure. Keep the glove box and its contents dry during routine cleaning.

Product drawings and images



TOP VIEW · Dimensions in millimetres. Internal and overall dimensions are labelled separately.



FRONT VIEW · Dimensions in millimetres. Internal and overall dimensions are labelled separately.

E&OE. Specifications are subject to change without notice.