

PRODUCT RANGE SPECIFICATION

B34135 – Wall Mounted Contractor’s Wash Trough

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B34135{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	Wall-mounted contractor’s wash trough for washing facilities in construction, workshop and industrial environments. The wash trough has been designed with a deep trough to ensure easy rinsing of dirty mops without splashing into the surrounding wash area. An integral splashback further ensures the washroom remains clean and hygienic and can be extended for more hygiene sensitive environments. A fully welded, one-piece construction ensures a heavy-duty and long-lasting basin that can withstand even the most arduous use. Manufactured from stainless steel, the trough features numerous designs to ensure maximum hygiene. Within the wash trough, all vertical and horizontal corners feature a radius cove preventing the build-up of dirt. The brushed stainless steel finish is easy to clean and maintain with dirty surfaces needing a simple wipe to clean. The contractor’s wash trough is fully welded resulting in no joints or crevices for the build-up of grease and grime. The B34135 Wall Mounted Contractor’s Wash Trough can be mounted to the wall with heavy duty wall mounting brackets allowing for hassle-free installation. Where extra support is required, optional front support legs can be supplied to support the unit. The contractor’s wash trough is designed to be used with wall mounted tapware that can be installed into the wall above the unit. The wash trough offers an excellent unit for areas where high volume cleaning is required such as educational institutions, workshops, buildings, public amenities and factories. If you rather need a unit with tap situated on the unit, we offer a fantastic contractor’s wash trough with a tap landing. Construction and features • Long-lasting, economical and hygienic stainless steel wall mounted contractor’s wash trough. • Cleaning the inside corners of the trough is easy as all the corners feature a radius cove preventing the build-up of deposits. • A fully welded design ensures no joints or crevices thus ensuring a very hygienic unit. • The fully welded, one-piece construction also ensures that the contractor’s wash trough is highly durable and able to withstand arduous use. • Manufactured from stainless steel making the contractor’s wash trough extremely easy to clean and low on ongoing maintenance. • All visible stainless steel surfaces are finished in with an aesthetic brushed stainless steel finish. • The wash trough is 300 mm deep for efficient cleaning of mops. • An integral splashback ensures the washroom area is kept clean. • The contractor’s wash trough can be supplied with an extended splashback as optional. • The contractor’s trough sink is easily fixed to the wall with heavy-duty wall-mounting gallows brackets. • The unit can be supplied with optional front support legs where required. • Suitable for use with wall mounted tapware that can be mounted into the wall above the unit. • Available in one or two trough variations.
---------------------	---

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield B34135. Wall Mounted Contractor's Wash Trough. Extended Splashback: No, Yes. Front Support Legs: No, Yes. Number of Troughs: 1, 2. The brushed stainless steel finish is easy to clean and maintain with dirty surfaces needing a simple wipe to clean. The wash trough is 300 mm deep for efficient cleaning of mops.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B341350545	CONTRACTORS WASH TROUGH TO B34135(PSS) SINGLE	Extended Splashback: No Front Support Legs: No Number of Troughs: 1
B341350545E	B341350545E Wall Mounted Contractor's Wash Trough With One Trough And Extended Splashback Extended Splashback: Yes. Front Support Legs: No. Number of Troughs: 1.	Extended Splashback: Yes Front Support Legs: No Number of Troughs: 1
B341350545EF	B341350545EF Wall Mounted Contractor's Wash Trough With One Trough, Extended Splashback And Front Support Legs Extended Splashback: Yes. Front Support Legs: Yes. Number of Troughs: 1.	Extended Splashback: Yes Front Support Legs: Yes Number of Troughs: 1
B341350545F	B341350545F Wall Mounted Contractor's Wash Trough With One Trough And Font Support Legs Extended Splashback: No. Front Support Legs: Yes. Number of Troughs: 1.	Extended Splashback: No Front Support Legs: Yes Number of Troughs: 1
B341351300	B341351300 Wall Mounted Contractor's Wash Trough With Two Troughs Extended Splashback: No. Front Support Legs: No. Number of Troughs: 2.	Extended Splashback: No Front Support Legs: No Number of Troughs: 2
B341351300E	B341351300E Wall Mounted Contractor's Wash Trough With Two Troughs And Extended Splashback Extended Splashback: Yes. Front Support Legs: No. Number of Troughs: 2.	Extended Splashback: Yes Front Support Legs: No Number of Troughs: 2
B341351300EF	B341351300EF Wall Mounted Contractor's Wash Trough With Two Troughs, Extended Splashback And Front Support Legs Extended Splashback: Yes. Front Support Legs: Yes. Number of Troughs: 2.	Extended Splashback: Yes Front Support Legs: Yes Number of Troughs: 2
B341351300F	B341351300F Wall Mounted Contractor's Wash Trough With Two Troughs And Font Support Legs Extended Splashback: No. Front Support Legs: Yes. Number of Troughs: 2.	Extended Splashback: No Front Support Legs: Yes Number of Troughs: 2


03 Application information

Intended applications	General Handwashing (Wash Hand Basins)
Industries	Government & Public Sector


04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.