

PRODUCT RANGE SPECIFICATION

B34673 – Wall Mounted Stainless Steel Wash Trough

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B34673{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	Wall-mounted stainless steel wash trough for shared handwashing. Specify the required length and fittings for commercial or institutional washing areas. Manufactured from high-Grade 304 stainless steel with a brushed dull polish finish, the trough offers strength, hygiene, and ease of maintenance. A standard 50 mm high integral splashback protects walls from water splatter, with an optional 150 mm extended splashback available for added wall protection in more demanding environments. The sloped base ensures efficient water drainage, with waste outlet positions available only in left-hand or right-hand configurations (centre outlet not available). The unit is specifically designed for use with wall-mounted bib taps and is not compatible with pillar tap installations. Installation is simple using the included heavy-duty wall brackets. The B34673 is available in standard lengths of 1200 mm, 1800 mm, and 2400 mm, with custom lengths available upon request.
---------------------	---

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B34673. Wall Mounted Stainless Steel Wash Trough. Length: 1200 mm, 1800 mm, 2400 mm. Waste Outlet Orientation: Left Hand, Right Hand. Extended Splashback: No, Yes. A standard 50 mm high integral splashback protects walls from water splatter, with an optional 150 mm extended splashback available for added wall protection in more demanding environments. The B34673 is available in standard lengths of 1200 mm, 1800 mm, and 2400 mm, with custom lengths available upon request.
--------------------------	--

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B34673(1200L)	WASH TROUGH WALL MOUNTED WITH EXTENDED SPLASHBACK 1200 LH	Extended Splashback: No Length: 1200 mm Waste Outlet Orientation: Left Hand
B34673(1200LE)	B34673(1200LE) Wall Mounted Stainless Steel Wash Trough 1200mm Length Left-Hand Waste Outlet with 150mm High Extended Splashback Length: 1200. Waste Outlet Orientation: Left Hand. Extended Splashback: Yes.	Extended Splashback: Yes Length: 1200 mm Waste Outlet Orientation: Left Hand
B34673(1200R)	WASH TROUGH WALL MOUNTED WITH EXTENDED SPLASHBACK 1200 RH	Extended Splashback: No Length: 1200 mm Waste Outlet Orientation: Right Hand

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B34673(1200RE)	B346731200RE Wall Mounted Stainless Steel Wash Trough 1200mm Length Right-Hand Waste Outlet with 150mm High Extended Splashback Length: 1200. Waste Outlet Orientation: Right Hand. Extended Splashback: Yes.	Extended Splashback: Yes Length: 1200 mm Waste Outlet Orientation: Right Hand
B34673(1800L)	WASH TROUGH WALL MOUNTED WITH EXTENDED SPLASHBACK 1800 LH	Extended Splashback: No Length: 1800 mm Waste Outlet Orientation: Left Hand
B34673(1800LE)	B34673(1800LE) Wall Mounted Stainless Steel Wash Trough 1800mm Length Left-Hand Waste Outlet with 150mm High Extended Splashback Length: 1800. Waste Outlet Orientation: Left Hand. Extended Splashback: Yes.	Extended Splashback: Yes Length: 1800 mm Waste Outlet Orientation: Left Hand
B34673(1800R)	WASH TROUGH WALL MOUNTED WITH EXTENDED SPLASHBACK TO B34673(PSS) 1800 RH	Extended Splashback: No Length: 1800 mm Waste Outlet Orientation: Right Hand
B34673(1800RE)	B34673(1800RE) Wall Mounted Stainless Steel Wash Trough 1800mm Length Right-Hand Waste Outlet with 150mm High Extended Splashback Length: 1800. Waste Outlet Orientation: Right Hand. Extended Splashback: Yes.	Extended Splashback: Yes Length: 1800 mm Waste Outlet Orientation: Right Hand
B34673(2400L)	WASH TROUGH WALL MOUNTED WITH EXTENDED SPLASHBACK 2400 LH	Extended Splashback: No Length: 2400 mm Waste Outlet Orientation: Left Hand
B34673(2400LE)	B34673(2400LE) Wall Mounted Stainless Steel Wash Trough 2400mm Length Left-Hand Waste Outlet with 150mm High Extended Splashback Length: 2400. Waste Outlet Orientation: Left Hand. Extended Splashback: Yes.	Extended Splashback: Yes Length: 2400 mm Waste Outlet Orientation: Left Hand
B34673(2400R)	WASH TROUGH WALL MOUNTED WITH EXTENDED SPLASHBACK 2400 RH	Extended Splashback: No Length: 2400 mm Waste Outlet Orientation: Right Hand
B34673(2400RE)	B34673(2400RE) Wall Mounted Stainless Steel Wash Trough 2400mm Length Right-Hand Waste Outlet With Extended Splashback Length: 2400. Waste Outlet Orientation: Right Hand. Extended Splashback: Yes.	Extended Splashback: Yes Length: 2400 mm Waste Outlet Orientation: Right Hand

03 Application information


Intended applications	General Handwashing (Wash Hand Basins)
Industries	Government & Public Sector

Typical lead time	10–15 working days
Warranty	12 months


Product drawings and images




PRODUCT IMAGE




PRODUCT IMAGE




PRODUCT IMAGE




PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.