PRODUCT RANGE SPECIFICATION

B34673 – Wall-Mounted Stainless Steel Wash Trough



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B34673{PSS}	13 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b34673-wall-mounted-stainless-steel-wash-trough#specifications

01 Product description and specification

Product description

Wall-mounted Grade 304 stainless steel wash trough for shared handwashing in schools, workplaces and public ablutions. The brushed dull-polish finish supports routine cleaning, the sloped base directs water to the outlet, and the integral splashback helps protect the wall. Choose a length, left- or right-hand waste outlet, standard or extended splashback, and optional front support legs with adjustable feet. Includes heavy-duty wall brackets. Designed for wall-mounted bib taps, not pillar taps.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Wall-mounted Grade 304 stainless steel wash trough with a brushed dull-polish finish, sloped base, integral splashback and heavy-duty wall brackets. For wall-mounted bib taps. Length, waste outlet orientation, splashback height and front support legs are specified by the selected configuration.

02 Configuration options

Length	1200 mm; 1800 mm; 2400 mm
Waste Outlet Orientation	Left Hand; Right Hand
Splashback Height	50 mm; 150 mm
Front Support Legs	No; Yes

Options vary by model; not every combination is available. Use the product page to select a model.

03 Functional features

01 **Grade 304 Stainless Steel**
Grade 304 stainless steel with a brushed dull-polish finish provides a durable washing surface for routine cleaning in shared facilities.

02 **Integral Splashback**
The integral splashback helps protect the wall behind the trough from splashing. Choose the standard or extended height to suit the washing area.

03 **Sloped Base for Drainage**
The sloped base directs water towards the waste outlet, helping the trough drain after use.

04 **A Choice of Trough Lengths**
Length options let you match the wash trough to the available wall space and the layout of a shared handwashing area.

05 **Left- or Right-Hand Waste Outlet**
Choose the waste outlet position to suit the planned plumbing layout. Both outlet orientations are available across the range.

06 **Wall Brackets Included**
Heavy-duty wall brackets provide the wall-mounting support for the trough. The wall and fixings must suit the installation.

07 **Optional Adjustable Front Support Legs**
Configurations with front support legs include the B34674 Grade 304 stainless steel leg set. Adjustable feet allow the front supports to be levelled during installation.

04 Application information

Intended applications	Commercial Wash Troughs & Basins, General Handwashing, Public Restrooms
Industries	Colleges & Universities, Food & Beverage Processing, General Manufacturing, Government & Public Sector, Schools

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

06 Frequently asked questions

Which taps can be used with this wash trough?
The B34673 is designed for wall-mounted bib taps. It is not suitable for pillar tap installations.


What is the difference between the splashback options?
The standard integral splashback provides wall protection behind the trough. The extended option provides a taller splashback for additional wall coverage. The height of each option is shown under Splashback Height.

Are front support legs included?
Front support legs are included when Front Support Legs is set to Yes. These configurations use the -SL code suffix and include the B34674 Grade 304 stainless steel front support leg set with adjustable feet. Configurations set to No do not include the leg set.


Can I choose the waste outlet position?
Yes. Left-hand and right-hand waste outlets are available for each length, splashback and support-leg combination. A centre waste outlet is not offered in this range.

How is the trough mounted?
The trough is wall-mounted using the included heavy-duty wall brackets. Optional front support legs provide additional front support; the trough still requires its wall mounting.


Product drawings and images



PRODUCT IMAGE




PRODUCT IMAGE




FRONT

PRODUCT IMAGE




RIGHT

PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.