

PRODUCT RANGE SPECIFICATION

B34674 – Wall Mounted Stainless Steel Wash Trough With Tap Landing

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B34674{PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description

Wall-mounted stainless steel wash trough with a tap landing for shared handwashing areas in commercial and institutional facilities.

It is designed for commercial projects and high use areas such as educational institutions, factories and public amenities. The wall mounted wash trough is supplied with an integral splashback which assists in keeping the washroom area clean. The splashback is 50 mm high as standard but can be manufactured with an extended splashback as optional. The stainless steel wash trough is manufactured from Grade 304 stainless steel. The unit features a brushed dull polish finish which is both aesthetic and highly hygienic.

The trough basin of the B34674 Wall Mounted stainless steel Wash Trough With Tap Landing is designed with the requisite fall to ensure efficient drainage of water. The water is drained from the unit via the waste outlet which can be orientated either left-hand or right-hand. The wash trough is suitable for deck mounted tapware such as pillar taps or spouts. As the wash trough is suitable for handling high volume use, it is more cost-effective than traditional basins. The stainless steel wash trough is available in a variety of length and spout configurations to suit any environment. If you require a wash trough without tapholes, then the B34673 Wall Mounted stainless steel Wash Trough could be the perfect alternative.

Construction and features

- Wall mounted wash trough with tap landing.
- Features an integral stainless steel splashback which assists in keeping the washroom area clean.
- The splashback is 50 mm high as standard but an extended splashback is available as optional.
- A fully-welded, one-piece construction results in a robust and long-lasting product.
- Manufactured from Grade 304 stainless steel.
- The stainless steel prevents rust and corrosion and makes the wash trough extremely easy to clean and maintain.
- The trough-like basin is sloped to ensure efficient and hygienic drainage.
- The wash trough is easily installed with heavy duty wall mounting brackets.
- The wall mounted wash trough is designed for use with deck mounted tapware – for example, pillar taps.
- Supplied with a 40 mm waste outlet that can be configured as left-hand or right-hand.
- Perfectly suited for use in high demand areas where a number of users require washing facilities at the same time.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield B34674. Wall Mounted Stainless Steel Wash Trough With Tap Landing. Length: 1200 mm, 1800 mm, 2400 mm. Waste Outlet Orientation: Left Hand, Right Hand. Extended Splashback: No, Yes. Number of Stations / Spouts: Two, Three, Four. The splashback is 50 mm high as standard but can be manufactured with an extended splashback as optional. The splashback is 50 mm high as standard but an extended splashback is available as optional.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B346741200L	B346741200L Wall Mounted Stainless Steel Wash Trough 1200mm Length Left-Hand Waste Outlet With Tap Landing Length: 1200. Waste Outlet Orientation: Left Hand. Extended Splashback: No. Number of Stations / Spouts: Two.	Extended Splashback: No Length: 1200 mm Number of Stations / Spouts: Two Waste Outlet Orientation: Left Hand
B346741200LE	B346741200LE Wall Mounted Stainless Steel Wash Trough 1200mm Length Left-Hand Waste Outlet With Tap Landing And Extended Splashback Length: 1200. Waste Outlet Orientation: Left Hand. Extended Splashback: Yes. Number of Stations / Spouts: Two.	Extended Splashback: Yes Length: 1200 mm Number of Stations / Spouts: Two Waste Outlet Orientation: Left Hand
B346741200R	B346741200R Wall Mounted Stainless Steel Wash Trough 1200mm Length Right-Hand Waste Outlet With Tap Landing Length: 1200. Waste Outlet Orientation: Right Hand. Extended Splashback: No. Number of Stations / Spouts: Two.	Extended Splashback: No Length: 1200 mm Number of Stations / Spouts: Two Waste Outlet Orientation: Right Hand
B346741200RE	B346741200RE Wall Mounted Stainless Steel Wash Trough 1200mm Length Right-Hand Waste Outlet With Tap Landing And Extended Splashback Length: 1200. Waste Outlet Orientation: Right Hand. Extended Splashback: Yes. Number of Stations / Spouts: Two.	Extended Splashback: Yes Length: 1200 mm Number of Stations / Spouts: Two Waste Outlet Orientation: Right Hand
B346741800L	B346741800L Wall Mounted Stainless Steel Wash Trough 1800mm Length Left-Hand Waste Outlet With Tap Landing Length: 1800. Waste Outlet Orientation: Left Hand. Extended Splashback: No. Number of Stations / Spouts: Three.	Extended Splashback: No Length: 1800 mm Number of Stations / Spouts: Three Waste Outlet Orientation: Left Hand
B346741800LE	B346741800LE Wall Mounted Stainless Steel Wash Trough 1800mm Length Left-Hand Waste Outlet With Tap Landing And Extended Splashback Length: 1800. Waste Outlet Orientation: Left Hand. Extended Splashback: Yes. Number of Stations / Spouts: Three.	Extended Splashback: Yes Length: 1800 mm Number of Stations / Spouts: Three Waste Outlet Orientation: Left Hand

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B346741800R	B346741800R Wall Mounted Stainless Steel Wash Trough 1800mm Length Right-Hand Waste Outlet With Tap Landing Length: 1800. Waste Outlet Orientation: Right Hand. Extended Splashback: No. Number of Stations / Spouts: Three.	Extended Splashback: No Length: 1800 mm Number of Stations / Spouts: Three Waste Outlet Orientation: Right Hand
B346741800RE	B346741800RE Wall Mounted Stainless Steel Wash Trough 1800mm Length Right-Hand Waste Outlet With Tap Landing And Extended Splashback Length: 1800. Waste Outlet Orientation: Right Hand. Extended Splashback: Yes. Number of Stations / Spouts: Three.	Extended Splashback: Yes Length: 1800 mm Number of Stations / Spouts: Three Waste Outlet Orientation: Right Hand
B346742400L	B346742400L Wall Mounted Stainless Steel Wash Trough 2400mm Length Left-Hand Waste Outlet With Tap Landing Length: 2400. Waste Outlet Orientation: Left Hand. Extended Splashback: No. Number of Stations / Spouts: Four.	Extended Splashback: No Length: 2400 mm Number of Stations / Spouts: Four Waste Outlet Orientation: Left Hand
B346742400LE	B346742400LE Wall Mounted Stainless Steel Wash Trough 2400mm Length Left-Hand Waste Outlet With Tap Landing And Extended Splashback Length: 2400. Waste Outlet Orientation: Left Hand. Extended Splashback: Yes. Number of Stations / Spouts: Four.	Extended Splashback: Yes Length: 2400 mm Number of Stations / Spouts: Four Waste Outlet Orientation: Left Hand
B346742400R	B346742400R Wall Mounted Stainless Steel Wash Trough 2400mm Length Right-Hand Waste Outlet With Tap Landing Length: 2400. Waste Outlet Orientation: Right Hand. Extended Splashback: No. Number of Stations / Spouts: Four.	Extended Splashback: No Length: 2400 mm Number of Stations / Spouts: Four Waste Outlet Orientation: Right Hand
B346742400RE	B346742400RE Wall Mounted Stainless Steel Wash Trough 2400mm Length Right-Hand Waste Outlet With Tap Landing And Extended Splashback Length: 2400. Waste Outlet Orientation: Right Hand. Extended Splashback: Yes. Number of Stations / Spouts: Four.	Extended Splashback: Yes Length: 2400 mm Number of Stations / Spouts: Four Waste Outlet Orientation: Right Hand

03 Application information

Intended applications	General Handwashing (Wash Hand Basins)
Industries	Government & Public Sector

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images

**PRODUCT IMAGE**



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.