

PRODUCT RANGE SPECIFICATION

B34756 – Stainless Steel Wash Trough with Upstand for Bib Taps

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B34756{PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	The B34756 Grade 304 stainless steel wash trough provides shared handwashing in food processing and other production areas. An integral rear upstand accommodates bib-mounted tapware, while gallows brackets support the trough at the wall. The sloped basin directs water towards the waste outlet. Lengths are available for one, two, three or four washing stations, with left-hand, right-hand or centre waste outlet configurations. Front support legs with adjustable feet are optional. Tapware and pre-punched tap holes are excluded unless specified with the quotation.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B34756. Grade 304 stainless steel wall-mounted wash trough; integral upstand for bib taps; gallows brackets; sloped basin. Length and waste position as specified. Front support legs optional. Tapware and pre-punched tap holes excluded unless specified.

02 Models and configurations


MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B34756	The B34756 Wall Mounted Wash Basin is a robust, state-of-the-art, stainless steel Grade 304 wash trough specifically designed for food processing environments. The trough is wall mounted with sturdy gallows brackets for support (front-support legs are optionally available for additional support). The wash trough features an integral upstand for the mounting of bib taps (tapware and pre-punched tapholes are excluded unless stated otherwise). The unit is available in four lengths for either one, two, three or four stations and can have the waste-outlet as either left-hand, right-hand, or centre configured. STANDARD FEATURES: • Heavy-duty stainless steel Grade 304 construction • Integral upstand to the rear with sloped top fascia for easy cleaning • Sturdy gallows brackets allow for easy mounting to the wall • Sloped basin ensures effective drainage of grey water • Stainless steel support legs with adjustable stainless steel feet are optionally available upon request • Suitable for use with bib mounted tapware (tapware and pre-punched tapholes are excluded unless stated otherwise)	Standard configuration

03 Application information

Intended applications	General Handwashing (Wash Hand Basins)
Industries	Food & Beverage Processing, Government & Public Sector

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.