PRODUCT RANGE SPECIFICATION

B35345 – Blanket Wash Troughs



PRODUCT IMAGE · Blanket wash trough on stand

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B35345{PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b35345-blanket-wash-troughs#specifications

01 Product description and specification

Product description

Grade 304 stainless steel blanket wash trough on a welded tubular stand with adjustable feet and rear splashback. The 1100 mm model has a 400 mm deep bowl; tapware is optional.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Shall be Basterfield B35345(112-1100) blanket wash trough on a stand to B35345(112-1100){PSS}, manufactured from Grade 304 stainless steel. 1100 mm (L) x 450 mm (W), with a 400 mm deep bowl, 900 mm working height and 150 mm rear splashback, giving 1050 mm overall height. Supplied on a fully welded stainless steel tubular frame with adjustable feet and a 40 mm waste. Approximate weight 25 kg. Supplied without tapware; medical mixer tap optional. Designed and manufactured in South Africa.

02 Functional features

01 **Grade 304 Stainless Steel**
AISI 304 stainless steel trough for hospital laundry washing areas.

02 **400 mm Deep Bowl**
The 1100 mm model has a 400 mm deep bowl within a 1100 x 450 mm footprint.

03 **Welded Tubular Stand**
Supplied on a fully welded stainless steel tubular support frame.

04 **Adjustable Feet**
Adjustable feet allow the stand to be levelled during installation.

05 **Rear Splashback**
The 1100 mm model has a 150 mm rear splashback: 900 mm working height and 1050 mm overall height.

06 **Optional Tapware**
Supplied without tapware. A medical mixer tap is available separately.

03 Application information

Intended applications	Laundry & Blanket Washing
Industries	Commercial Laundries, Government & Public Sector, Hospitals & Clinics

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

05 Frequently asked questions

What is the blanket wash trough made from?

Grade 304 stainless steel, mounted on a fully welded stainless steel tubular support frame.

What are the dimensions of B35345(112-1100)?

The trough is 1100 mm long and 450 mm wide, with a 400 mm deep bowl. Working height to the rim is 900 mm; the 150 mm rear splashback brings the overall height to 1050 mm.

Is the stand included?

Yes. The trough is supplied on a fully welded stainless steel tubular stand with adjustable feet.

Is tapware included?

No. Tapware is optional; a medical mixer tap is available separately.


What waste size does the 1100 mm model have?

The B35345(112-1100) specification lists a 40 mm waste.


How much does B35345(112-1100) weigh?

Approximately 25 kg, as listed in its product specification sheet.

Product drawings and images



OTHER VIEW · Top and front views



RIGHT VIEW · Right-side view

E&OE. Specifications are subject to change without notice.