

PRODUCT RANGE SPECIFICATION

B36528 – Stainless Steel Secure Wash Basin With Shroud

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B36528{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	The B36528 security wash basin conceals plumbing within a shrouded body for correctional and other institutional washrooms. It is manufactured from 1.2 mm Grade 304 stainless steel with a satin-brushed finish. Overall dimensions are 360 × 366 × 400 mm. The round bowl is 290 mm in diameter and 100 mm deep, with radiused corners. A 50 mm integral rear splashback and 40 mm waste outlet hole are provided. A removable base access panel is secured with tamper-resistant screws for maintenance access. Specify an anti-vandal timed-flow pillar tap or the required tap-hole preparation. The unit is wall mounted.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B36528. Grade 304 stainless steel security wash basin; 1.2 mm construction; satin-brushed finish; 360 × 366 × 400 mm overall; bowl 290 mm diameter × 100 mm deep; 50 mm splashback; 40 mm waste outlet hole; shrouded plumbing and removable base access panel. Tapware as specified.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B36528	WALL MOUNTED SECURITY WASH BASIN TO B36528(PSS)	Standard configuration

03 Application information

Intended applications	General Handwashing (Wash Hand Basins), Secure Ablutions (Correctional)
Industries	Correctional Services


04 Supply and support

Typical lead time	10–15 working days
Warranty	24 months

Product drawings and images




PRODUCT IMAGE




TOP RIGHT

PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.