

PRODUCT RANGE SPECIFICATION

B36644 – Wall Mounted Foot Operated Wash Hand Basin With Pedestal

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B36644{PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description

Wall-mounted wash hand basin with a pedestal and foot-operated control for hands-free tap operation.

The foot operated wash hand basin is manufactured from Grade 304 stainless steel with an aesthetically pleasing brushed polish stainless steel finish. The unit has been designed to be ergonomic and comfortable to use. The wash hand basin features a rounded bowl and corners to ensure the unit is easy to clean and to prevent the build-up of grease and grime in hard-to-reach crevices.

The B36644 Wall Mounted Foot Operated Wash Hand Basin With Pedestal is supplied with a deck mounted gooseneck faucet which provides aerated water. The aerated water ensures minimum splash assisting in keeping the wash area clean. The gooseneck faucet is operated by a foot activated button which activates the valve. The wash hand basin can be supplied with either a demand valve, which ensures water flows while the foot button is activated, or a metered valve, which ensures water flows for a preset time after activation. The metered valve is more user-friendly as the button only has to be activated once for water to be supplied. The metered valve also prevents wastage of water.

The foot operated wash hand basin is easy to install and can be simply secured to the wall with heavy duty wall mounting brackets. The pedestal mounting provides additional support and conceals the plumbing. This is both aesthetic and prevents unauthorised tampering with the plumbing fittings. The B36644 Wall Mounted Foot Operated Wash Hand Basin With Pedestal has an integral splashback which helps keep the washing area clean. The splashback can be supplied with an extended length preventing the need for tiling. The unit is supplied pre-plumbed with connection on-site to the inlet valve being required. The unit is intended for food preparation facilities, food packaging facilities, hospitals, general healthcare, clinics, and other hygiene sensitive applications.

Construction and features

- Wall mounted foot operated wash hand basin with pedestal.
- Manufactured from Grade 304 stainless steel ensuring a hygienic unit.
- All surfaces are finished to a brushed polish stainless steel finish which is easy to clean and low on maintenance.
- The wash hand basin is ergonomic and provides for comfortable use.
- The foot operated wash hand basin features a rounded bowl and corners ensuring the unit is extremely easy to clean.
- A 40 mm waste outlet is situated at the bottom of the bowl.
- The unit features a deck mounted gooseneck faucet which is operated by a foot pedal.
- The foot pedal activated valve can be configured as a demand valve or a metered valve.
- Easily installed, the foot operated wash hand basin can be mounted to the wall with heavy duty wall mounting brackets.
- A pedestal base provides additional support and conceals the plumbing.
- An integral splashback assists with keeping the washing area clean.
- The unit is supplied pre-plumbed with only connection to the foot pedal valve being necessary on-site.
- The unit can be supplied with an extended splashback avoiding the need for tiling.
- A soap dispenser can also be supplied as optional.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield B36644. Wall Mounted Foot Operated Wash Hand Basin With Pedestal.
Extended Splashback: No, Yes. Demand / Metered Valve: Demand Valve, Metered Valve.
The gooseneck faucet is operated by a foot activated button which activates the valve. A 40 mm waste outlet is situated at the bottom of the bowl.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B36644(D)	FOOT ACTIVATED WASH BASIN TO B36644D(PSS) WITH DEMAND VALVE HIGH NECK BASIN SPOUT	Demand / Metered Valve: Demand Valve Extended Splashback: No
B36644(DE)	FOOT ACTIVATED WASH BASIN WITH DEMAND VALVE, HIGH NECK BASIN SPOUT AND EXTEND SPLASH BACK	Demand / Metered Valve: Demand Valve Extended Splashback: Yes
B36644M	B36644M Wall Mounted Foot Operated Wash Hand Basin With Pedestal And Metered Valve Extended Splashback: No. Demand / Metered Valve: Metered Valve.	Demand / Metered Valve: Metered Valve Extended Splashback: No
B36644ME	B36644ME Wall Mounted Foot Operated Wash Hand Basin With Pedestal, Metered Valve And Extended Splashback Extended Splashback: Yes. Demand / Metered Valve: Metered Valve.	Demand / Metered Valve: Metered Valve Extended Splashback: Yes

03 Application information

Intended applications	Hands-Free Handwashing (Knee/Elbow/Foot Operated)
Industries	Government & Public Sector, Hospitals & Clinics

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.