

PRODUCT RANGE SPECIFICATION

B36656EB – Stainless Steel Wash Hand Basin with Extended Splashback

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B36656EB{PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	The B36656EB wash hand basin is manufactured from Grade 304 stainless steel with an extended splashback. It is designed for wall mounting. Gallows brackets, tapware, a soap dispenser and front support legs are optional extras to be specified separately.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B36656EB. Grade 304 stainless steel wall-mounted wash basin with extended splashback. Gallows brackets, tapware, soap dispenser and front support legs are optional extras.

02 Models and configurations


MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B36656EB	WALL MOUNTED WASH HAND BASIN WITH EXTENDED SPLASH BACK Because stainless steel is easy and quick to clean it is the ideal choice of material for wash hand basins. The non-porous, impervious nature of its surface means that it is as hygienic in use as ceramic ware but has the added advantage of being able to withstand impact and sudden shock. Like plastic it is comparatively light in weight and so is appropriate for installations where weight is a criterion, but with the further benefit of great strength and longevity. STANDARD FEATURES • Grade 304 (18/10) Stainless Steel. • Durable. • Hygienic. OPTIONAL EXTRAS • Gallow brackets. • Tapware. • Soap Dispenser. • Font legs for extra support.	Standard configuration


03 Application information

Intended applications	General Handwashing (Wash Hand Basins)
Industries	Government & Public Sector


04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.