

MODEL SPECIFICATION

B37354(DC-112-2000) – Utensil Sink Double Bowl Centre Stainless Steel Grade 304 1.2mm Thickness 2000mm (L) x 650mm (W) x 1050mm Overall Height with 900mm Working Height, Two Bowls Each 900mm (L) x 500mm (W) x 600mm (D), 150mm (H) Rear Splashback, 40x40mm Square Tube Cross Bracing and Pre-Punched Holes for Ø1 1/2inch BSP Wastes, One per Basin. Waste Fittings and Rinse Spray Optional; Supplied Separately Height Specification: 900 mm Working Height, with a 150 mm Splashback (1050 mm Overall).



PRODUCT IMAGE · Large format double bowl utensil sink for commercial food production wash-up.

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Model	B37354(DC-112-2000){PSS}	Published catalogue data	2 Oct 2026

01 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Working Height	900	mm	Floor to the tabletop or working surface; excludes any splashback.
Splashback Height	150	mm	Height of the splashback above the tabletop or working surface.
Overall height	1050	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Length	2000	mm	The length of the item typically as measured from left to right.

01 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Width	650	mm	The width of the item typically as measured from front to back.
Number of Bowls	2	—	—
Bowl Orientation	Centre	—	—
Bowl Length	900	mm	The length of the bowl typically as measured from left to right.
Bowl Width	500	mm	—
Bowl Depth	600	mm	—
Splashback Configuration	Rear	—	—
Basin Support Bracing	40x40mm Square Tube Cross Bracing	—	—
Waste Outlet Hole	Ø1 1/2" BSP	—	Each basin has a pre-punched outlet for the specified waste fitting. Waste fittings are supplied separately.
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.
Tapware Landing	70	mm	Dimension of the dedicated landing provided for tapware.

02 Dimensions and mass


PARAMETER	VALUE	UNIT
Length	2000	mm
Width	650	mm
Overall height	1050	mm

03 Model and supply data

Parent product	B37354(DC) – Double Bowl Utensil Sink
Typical lead time	10–15 working days
Warranty	24 months


Configuration description	This 2000mm double bowl utensil sink is the standard model, manufactured from 1.2mm Grade 304 stainless steel. It provides separate washing and rinsing spaces for large utensils, meat trays and removable processing equipment. The sink measures 2000mm (L) x 650mm (W), with a 900mm working height and a 150mm rear splashback, giving an overall height of 1050mm. Each centre-positioned bowl measures 900mm (L) x 500mm (W) x 600mm (D). 40x40mm square tube cross bracing supports the basins, and a 70mm tapware landing provides space for tapware. Each bowl has a pre-punched waste outlet hole for a 1½-inch BSP waste fitting. Waste fittings and an overhead pre-rinse spray assembly with mixer taps are available separately.
Short Form Specification	SPECIFICATION USE Use this description when specifying this model. Basterfield B37354(DC-112-2000). Utensil Sink Double Bowl Centre Stainless Steel Grade 304 1.2mm Thickness 2000mm (L) x 650mm (W) x 1050mm Overall Height with 900mm Working Height, Two Bowls Each 900mm (L) x 500mm (W) x 600mm (D), 150mm (H) Rear Splashback, 70mm Tapware Landing, 40x40mm Square Tube Cross Bracing and Pre-Punched Holes for Ø1 1/2inch BSP Wastes, One per Basin. Waste Fittings and Rinse Spray Optional; Supplied Separately.
Detailed specification	• Model: B37354(DC-112-2000) • Construction: Standard • Material: Stainless Steel Grade 304 • Material Thickness: 1.2mm • Length: 2000mm • Width: 650mm • Working Height: 900mm • Rear Splashback Height: 150mm • Overall Height: 1050mm • Bowls: Two, Centre Positioned • Each Bowl: 900mm (L) x 500mm (W) x 600mm (D) • Basin Support: 40x40mm Square Tube Cross Bracing • Waste Hole per Basin: Pre-Punched for Ø1 1/2inch BSP Waste Fitting • Waste Fittings: Optional, Supplied Separately • Tapware Landing: 70mm

Product drawings and images




FRONT (1 : 17)

FRONT VIEW · B37354(DC-112-2000) – Front view




RIGHT

RIGHT VIEW · B37354(DC-112-2000) – Right view



TOP

TOP VIEW · B37354(DC-112-2000) – Top view



TOP RIGHT

ISOMETRIC VIEW · B37354(DC-112-2000) – Top-right isometric view

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.