MODEL SPECIFICATION

# B37355(DC-115-2250-E1000) – Utensil Sink DC 2250mm Integral Splashback 1000mm

| DOCUMENT SCOPE | DOCUMENT REFERENCE | GENERATED ON |
|---|---|---|
| Model | B37355(DC-115-2250-E1000){PSS} | 15 Nov 2026 |

## 01 Model specification

Large Format Double-Bowl Utensil Wash Sink, Stainless Steel Grade 304, 1.5mm Thickness, 2250mm Length, with Two Centre Bowls Each 1000mm (L) × 990mm (W) × 500mm (D), Integral 1000mm High Splashback and Ø90mm Pre-Punched Hole in Each Bowl

## 02 Technical specifications

| PARAMETER | VALUE | UNIT | TECHNICAL NOTE |
|---|---|---|---|
| Splashback Height | 1000 | mm | Height of the splashback above the tabletop or working surface. |
| Material | Stainless Steel Grade 304 | – | The primary material used in the construction of the item. Certain components may be manufactured from different materials. |
| Material Thickness | 1.5 | mm | The thickness of the material used for the item's primary construction. The thickness of individual components may vary. |
| Length | 2250 | mm | The length of the item typically as measured from left to right. |
| Number of Bowls | 2 | – | – |
| Bowl Orientation | Centre | – | – |
| Bowl Length | 1000 | mm | The length of the bowl typically as measured from left to right. |
| Bowl Width | 990 | mm | – |
| Bowl Depth | 500 | mm | – |
| Waste Outlet Hole | Ø90mm pre-punched hole | – | – |

## 03 Dimensions and mass

| PARAMETER | VALUE | UNIT |
|---|---|---|
| Length | 2250 | mm |


121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

## 04 Model and supply data

| | |
|---|---|
| **Parent product** | B37355(DC-E) — 2250 mm Double-Bowl Utensil Wash Sink with Integral Splashback |
| **Typical lead time** | 10–15 working days |
| **Warranty** | 24 months |

## 05 Specification notes

**Configuration description**

The B37355(DC-E) is a large format, 2250mm-long double-bowl utensil wash sink for oversized pots, trays and utensils. Its two centre bowls each measure 1000mm (L) × 990mm (W) × 500mm (D), providing generous space for manual washing and rinsing in commercial kitchens, bakeries, institutional catering facilities and food processing wash areas.

Manufactured from 1.5mm Grade 304 stainless steel, each model is supplied as a complete sink with an integral extended splashback. Choose a splashback height of 300mm, 500mm, 800mm or 1000mm to suit the installation.

Each bowl has a Ø90mm pre-punched hole. An overhead pre-rinse spray with mixer taps and 90mm basket strainer waste fittings are available as optional items and are supplied separately. Select two waste fittings for the double-bowl sink, one per bowl. Confirm tapware mounting, spray reach and drainage connections when specifying the installation.

This model has an integral 1000mm-high splashback. Optional spray and waste fittings are supplied separately.

**Short Form Specification**

**SPECIFICATION USE**
Use this description when specifying this model.

Large format double-bowl utensil wash sink; 1.5mm Grade 304 stainless steel; 2250mm long; two 1000 × 990 × 500mm bowls; integral 1000mm splashback; Ø90mm pre-punched hole in each bowl. Spray and waste fittings optional, supplied separately.

**Detailed specification**

- Model: B37355(DC-115-2250-E1000)
- Material: Grade 304 stainless steel
- Material thickness: 1.5mm
- Overall length: 2250mm
- Bowl configuration: Two centre bowls
- Dimensions of each bowl: 1000mm (L) × 990mm (W) × 500mm (D)
- Integral splashback height: 1000mm
- Waste outlet: Ø90mm pre-punched hole in each bowl
- Optional items: Overhead pre-rinse spray with mixer taps; two 90mm basket strainer waste fittings

## 06 Frequently asked questions

**What makes this a large format sink?**

The sink is 2250mm long and has two bowls, each 1000mm (L) × 990mm (W) × 500mm (D). This provides space for washing large pots, trays and utensils. Check the dimensions of the articles being washed against the bowl dimensions.

**What material and thickness are used?**

The B37355(DC-E) range is manufactured from 1.5mm Grade 304 stainless steel. The material and thickness are listed in the attributes for every splashback variant.

**Which integral splashback heights are available?**

Choose 300mm, 500mm, 800mm or 1000mm. Each option is a complete sink with an integral splashback. Splashback height is measured above the working surface and is not the overall sink height.

**Does the sink include 90mm waste fittings?**

Each bowl is supplied with a Ø90mm pre-punched hole. The hole diameter describes the opening in the bowl, not the downstream pipe connection. The 90mm basket strainer waste fitting, item 04PF-PLUM-038055, is optional and supplied separately. Select two fittings for the double-bowl sink, one per bowl.

**Can I add an overhead pre-rinse spray?**

Yes. Item 04TM-PRS0001 is an optional overhead pre-rinse spray with mixer taps. One assembly is recommended per sink where required. Confirm the mounting position, water supplies, installation clearances and spray reach for both bowls.

**Where is this large format sink used?**

It is intended for pot, tray and utensil washing in commercial kitchens, bakeries, institutional catering facilities and food processing wash areas where larger articles need room for manual cleaning.

**What should be checked before ordering?**

Confirm the splashback height, access route, installation space and the dimensions of the largest articles to be washed. Plan installation space and service access for the selected sink, and coordinate the optional spray, waste fittings and site drainage connections.

E&OE. Specifications are subject to change without notice.