MODEL SPECIFICATION

# B38132(P20) – Eco Wall-Mounted Boot Rack - 20 Pairs

| DOCUMENT SCOPE | DOCUMENT REFERENCE | GENERATED ON |
|---|---|---|
| Model | B38132(P20){PSS} | 17 Nov 2026 |

## 01 Model specification

Eco Wall-Mounted Boot Rack for 20 Boot Pairs. 1080 mm Length x 1361 mm Overall Height, to B38132{PSS}.

## 02 Technical specifications

| PARAMETER | VALUE | UNIT | TECHNICAL NOTE |
|---|---|---|---|
| Boot Pairs | 20 | – | The number of pairs of boots that can be stored/hung on the unit. |
| Length | 1080 | mm | The length of the item typically as measured from left to right. |
| Height | 1361 | mm | Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height. |
| Mounting Type | Wall Mounted | – | – |

## 03 Dimensions and mass

| PARAMETER | VALUE | UNIT |
|---|---|---|
| Length | 1080 | mm |
| Overall height | 1361 | mm |

## 04 Model and supply data

| | |
|---|---|
| Parent product | B38132 — Eco Wall-Mounted Boot Rack |
| Typical lead time | 10–15 working days |
| Warranty | 12 months |

## 05 Specification notes

**Configuration description**

The Basterfield B38132(P20) Eco wall-mounted rack provides storage for 20 boot pairs (40 individual boots). Use it to organise work boots at a dedicated storage point in changing rooms, locker rooms and footwear or PPE storage areas.

The rack is 1080 mm long and 1361 mm high overall. The stated height is the rack height, separate from its mounting position above the floor.

Confirm the wall projection and boot clearance before installation. Use a suitable load-bearing wall or support structure with fixings selected for the substrate and loaded rack. Allow space for access and cleaning around the installation.

**Short Form Specification**

**SPECIFICATION USE**
Use this description when specifying this model.

Basterfield B38132(P20) Eco wall-mounted boot rack for 20 boot pairs. Overall length 1080 mm; overall rack height 1361 mm. Specification reference B38132{PSS}. Confirm wall projection, suitable wall support, fixings and access clearances. Set mounting height above the floor separately.

**Detailed specification**

| Specification | Detail |
| --- | --- |
| Model | B38132(P20) |
| Boot-pair capacity | 20 pairs (40 boots) |
| Overall length | 1080 mm |
| Overall rack height | 1361 mm |
| Mounting | Wall mounted |
| Specification reference | B38132{PSS} |
| Installation | Confirm wall projection, wall support, fixings, access and cleaning clearances |

## 06 Frequently asked questions

**How many boots does each model hold?**

The range holds 4, 8, 12, 16, 20, 24, 30 or 36 boot pairs. One pair means two boots. The capacity is shown by the selected option and its full model code.

**What are the model dimensions?**

Dimensions are length x overall rack height. P04: 1050 x 409 mm. P08: 1050 x 647 mm. P12: 1050 x 924 mm. P16: 1050 x 1134 mm. P20: 1080 x 1361 mm. P24: 1310 x 1134 mm. P30: 1080 x 1599 mm. P36: 1570 x 1590 mm.

**Does the listed height include the mounting height above the floor?**

No. The listed height is the overall height of the rack. Set its mounting position separately to suit access, the footwear being stored and cleaning around the installation.

**What should be checked before installation?**

Confirm the wall projection, access and boot clearance. Use a suitable load-bearing wall or support structure and fixings selected for the substrate and loaded rack. Keep circulation routes clear.

**Where can the rack be used?**

Use it for organising work boots in changing rooms, locker rooms and footwear or PPE storage areas. Typical workplaces include food-processing premises, farms, laundries, manufacturing, mining and construction, with further uses in support areas where work boots are worn.

**How do I choose between capacities?**

Choose the number of boot pairs first, then compare the length and height of that model with the available wall space. A larger capacity does not always mean a taller rack; for example, P24 is 1310 x 1134 mm while P30 is 1080 x 1599 mm.

E&OE. Specifications are subject to change without notice.


121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357