
MODEL SPECIFICATION

B38132(P36) – Eco Wall-Mounted Boot Rack - 36 Pairs



PRODUCT IMAGE · B38132(P36) shown: 36 boot pairs.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Model	B38132(P36){PSS}	17 Nov 2026

01 Model specification

Eco Wall-Mounted Boot Rack for 36 Boot Pairs. 1570 mm Length x 1590 mm Overall Height, to B38132{PSS}.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Boot Pairs	36	–	The number of pairs of boots that can be stored/hung on the unit.
Length	1570	mm	The length of the item typically as measured from left to right.
Height	1590	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Mounting Type	Wall Mounted	–	–

03 Dimensions and mass

PARAMETER	VALUE	UNIT
Length	1570	mm
Overall height	1590	mm

04 Model and supply data

Parent product	B38132 — Eco Wall-Mounted Boot Rack
Typical lead time	10–15 working days
Warranty	12 months

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

05 Specification notes

Configuration description

The Basterfield B38132(P36) Eco wall-mounted rack provides storage for 36 boot pairs (72 individual boots). Use it to organise work boots at a dedicated storage point in changing rooms, locker rooms and footwear or PPE storage areas.

The rack is 1570 mm long and 1590 mm high overall. The stated height is the rack height, separate from its mounting position above the floor.

Confirm the wall projection and boot clearance before installation. Use a suitable load-bearing wall or support structure with fixings selected for the substrate and loaded rack. Allow space for access and cleaning around the installation.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this model.

Basterfield B38132(P36) Eco wall-mounted boot rack for 36 boot pairs. Overall length 1570 mm; overall rack height 1590 mm. Specification reference B38132{PSS}. Confirm wall projection, suitable wall support, fixings and access clearances. Set mounting height above the floor separately.

Detailed specification

Specification	Detail
Model	B38132(P36)
Boot-pair capacity	36 pairs (72 boots)
Overall length	1570 mm
Overall rack height	1590 mm
Mounting	Wall mounted
Specification reference	B38132{PSS}
Installation	Confirm wall projection, wall support, fixings, access and cleaning clearances

06 Frequently asked questions

How many boots does each model hold?

The range holds 4, 8, 12, 16, 20, 24, 30 or 36 boot pairs. One pair means two boots. The capacity is shown by the selected option and its full model code.

What are the model dimensions?

Dimensions are length x overall rack height. P04: 1050 x 409 mm. P08: 1050 x 647 mm. P12: 1050 x 924 mm. P16: 1050 x 1134 mm. P20: 1080 x 1361 mm. P24: 1310 x 1134 mm. P30: 1080 x 1599 mm. P36: 1570 x 1590 mm.

Does the listed height include the mounting height above the floor?

No. The listed height is the overall height of the rack. Set its mounting position separately to suit access, the footwear being stored and cleaning around the installation.

What should be checked before installation?

Confirm the wall projection, access and boot clearance. Use a suitable load-bearing wall or support structure and fixings selected for the substrate and loaded rack. Keep circulation routes clear.

Where can the rack be used?

Use it for organising work boots in changing rooms, locker rooms and footwear or PPE storage areas. Typical workplaces include food-processing premises, farms, laundries, manufacturing, mining and construction, with further uses in support areas where work boots are worn.

How do I choose between capacities?

Choose the number of boot pairs first, then compare the length and height of that model with the available wall space. A larger capacity does not always mean a taller rack; for example, P24 is 1310 x 1134 mm while P30 is 1080 x 1599 mm.

E&OE. Specifications are subject to change without notice.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357