

PRODUCT RANGE SPECIFICATION

B38132 – Eco Wall-Mounted Boot Rack

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B38132{PSS}	Published catalogue data	18 Sep 2026

01 Product description and specification

Product description

The Basterfield B38132 Eco wall-mounted boot rack provides a dedicated place to organise work boots in changing rooms, locker rooms and footwear storage areas. Choose from eight capacities to match the number of boot pairs stored at the installation. One pair means two boots.

The range covers 4, 8, 12, 16, 20, 24, 30 and 36 boot pairs. Overall length and height vary by model, so select both the required storage capacity and the wall space available. Dimensions below describe the rack itself; installation height above the floor is selected separately.

B38132(P04): 4 boot pairs; 1050 mm length x 409 mm overall height.

B38132(P08): 8 boot pairs; 1050 mm length x 647 mm overall height.

B38132(P12): 12 boot pairs; 1050 mm length x 924 mm overall height.

B38132(P16): 16 boot pairs; 1050 mm length x 1134 mm overall height.

B38132(P20): 20 boot pairs; 1080 mm length x 1361 mm overall height.

B38132(P24): 24 boot pairs; 1310 mm length x 1134 mm overall height.

B38132(P30): 30 boot pairs; 1080 mm length x 1599 mm overall height.

B38132(P36): 36 boot pairs; 1570 mm length x 1590 mm overall height.

Applications include changing rooms, locker rooms and PPE storage points in food-processing premises, farms, produce packhouses, commercial laundries and manufacturing workplaces. The rack can also organise boots in mining, construction, pharmaceutical, veterinary, healthcare, laboratory and catering support areas where work boots are worn.

Plan the installation on a suitable load-bearing wall or support structure. Select fixings for the substrate and loaded rack, and allow access for placing and removing boots and cleaning around the installation. Confirm the wall projection and clearance required for the boots being stored before finalising the layout.

Choose the specific model by capacity and dimensions, using the full item code on the schedule or order. Follow the workplace cleaning and inspection procedure for the rack and its mounting fixings.

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B38132 Eco wall-mounted boot rack to specification reference B38132{PSS}. Select capacity for 4, 8, 12, 16, 20, 24, 30 or 36 boot pairs. Overall length and rack height as scheduled for the selected model. Confirm wall projection, suitable wall support, fixings and access clearances for the installation. Mounting height above the floor is separate from the listed overall rack height.
--------------------------	--

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B38132(P04)	Eco wall-mounted boot rack for 4 boot pairs. 1050 mm length x 409 mm overall height, to B38132{PSS}.	Boot Pairs: 4 Overall dimensions: 1050 × – × 409 mm (L × W × H)
B38132(P08)	Eco wall-mounted boot rack for 8 boot pairs. 1050 mm length x 647 mm overall height, to B38132{PSS}.	Boot Pairs: 8 Overall dimensions: 1050 × – × 647 mm (L × W × H)
B38132(P12)	Eco wall-mounted boot rack for 12 boot pairs. 1050 mm length x 924 mm overall height, to B38132{PSS}.	Boot Pairs: 12 Overall dimensions: 1050 × – × 924 mm (L × W × H)
B38132(P16)	Eco wall-mounted boot rack for 16 boot pairs. 1050 mm length x 1134 mm overall height, to B38132{PSS}.	Boot Pairs: 16 Overall dimensions: 1050 × – × 1134 mm (L × W × H)
B38132(P20)	Eco wall-mounted boot rack for 20 boot pairs. 1080 mm length x 1361 mm overall height, to B38132{PSS}.	Boot Pairs: 20 Overall dimensions: 1080 × – × 1361 mm (L × W × H)
B38132(P24)	Eco wall-mounted boot rack for 24 boot pairs. 1310 mm length x 1134 mm overall height, to B38132{PSS}.	Boot Pairs: 24 Overall dimensions: 1310 × – × 1134 mm (L × W × H)
B38132(P30)	Eco wall-mounted boot rack for 30 boot pairs. 1080 mm length x 1599 mm overall height, to B38132{PSS}.	Boot Pairs: 30 Overall dimensions: 1080 × – × 1599 mm (L × W × H)
B38132(P36)	Eco wall-mounted boot rack for 36 boot pairs. 1570 mm length x 1590 mm overall height, to B38132{PSS}.	Boot Pairs: 36 Overall dimensions: 1570 × – × 1590 mm (L × W × H)

03 Functional features

01	Eight boot-pair capacities Select storage for 4, 8, 12, 16, 20, 24, 30 or 36 pairs of boots.
02	Wall-mounted storage A dedicated boot-storage position for changing rooms, locker rooms and PPE storage areas.
03	Four overall lengths Model lengths are 1050, 1080, 1310 or 1570 mm. Select the required capacity and check its length.
04	Model-specific overall heights Rack heights range from 409 to 1599 mm. Check the selected model; mounting height above the floor is separate.

04 Application information


Intended applications	Change Rooms & Locker Rooms, Footwear Storage & Drying, PPE Storage & Dispensing
-----------------------	--

Industries	Commercial Laundries, Construction, Dairy & Beverage Processing, Farms & Orchards, Fish & Seafood Processing, Food & Beverage Processing, Fresh Produce & Packhouses, General Manufacturing, Hospitals & Clinics, Institutional & Contract Catering, Meat & Poultry Processing, Mining & Quarrying, Pharmaceutical Manufacturing, Research Laboratories, Veterinary Services
------------	--

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images



PRODUCT IMAGE · B38132(P36) shown: 36 boot pairs.

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.