PRODUCT RANGE SPECIFICATION

# B38134 – Wall-Mounted Stainless Steel Shoe Rack



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

| DOCUMENT SCOPE | DOCUMENT REFERENCE | GENERATED ON |
|---|---|---|
| Product range | B38134{PSS} | 19 Nov 2026 |

**Detailed item specifications**

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b38134-wall-mounted-stainless-steel-shoe-rack#specifications

## 01 Product description and specification

**Product description**

Wall-mounted Grade 304 stainless steel shoe rack with integral mounting brackets and safety-ended shoe-support tongues. Choose storage for 4, 8, 12, 16, 20, 24 or 36 shoe pairs. All models are 93 mm wide, with model-specific lengths and heights for changing rooms and footwear storage areas.

**Short Form Specification**

**SPECIFICATION USE**
Use this description when specifying this product range.

Basterfield B38134 wall-mounted shoe rack, Grade 304 stainless steel, with integral wall-mounting brackets and safety-ended shoe-support tongues. Select capacity for 4, 8, 12, 16, 20, 24 or 36 shoe pairs. Overall width 93 mm; length and height as scheduled for the selected model. Provide suitable wall support, fixings, footwear clearance and access for cleaning. Set mounting height above the floor separately.

## 02 Configuration options

| | |
|---|---|
| **Shoe Pairs** | 4; 8; 12; 16; 20; 24; 36 |

Options vary by model; not every combination is available. Use the product page to select a model.

## 03 Functional features

01 **Seven shoe-pair capacities**
Choose storage for 4, 8, 12, 16, 20, 24 or 36 pairs of shoes.

02 **Grade 304 stainless steel**
Stainless steel construction for workplace footwear storage and routine cleaning.

03 **Integral wall-mounting brackets**
Built-in brackets provide the wall mounting arrangement; select fixings for the supporting wall and loaded rack.

04 **Safety-ended support tongues**
Individual shoe-support tongues have safety-ended tips.

**05 93 mm overall width**

All seven specified models are 93 mm wide. Allow additional clearance for the footwear being stored.

**06 Model-specific sizes**

Select the required pair capacity and check its overall length and height against the available wall space.

## 04 Application information

| | |
|---|---|
| **Intended applications** | Change Rooms & Locker Rooms, Footwear Storage & Drying, PPE Storage & Dispensing |
| **Industries** | Commercial Laundries, Dairy & Beverage Processing, Fish & Seafood Processing, Food & Beverage Processing, Fresh Produce & Packhouses, General Manufacturing, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Meat & Poultry Processing, Pharmaceutical Manufacturing, Research Laboratories, Veterinary Services |

## 05 Supply and support

| | |
|---|---|
| **Typical lead time** | 10–15 working days |
| **Warranty** | 12 months |

## 06 Frequently asked questions

**What shoe-pair capacities are available?**

Choose 4, 8, 12, 16, 20, 24 or 36 shoe pairs. One pair means two shoes, so the range stores 8 to 72 individual shoes.

**What are the overall dimensions?**

Dimensions are length x width x height. P04: 1050 x 93 x 465 mm. P08: 1050 x 93 x 703 mm. P12: 1050 x 93 x 941 mm. P16: 1050 x 93 x 1180 mm. P20: 1050 x 93 x 1418 mm. P24: 1050 x 93 x 1658 mm. P36: 1310 x 93 x 2132 mm.

**What is the rack made from?**

B38134 is manufactured from Grade 304 stainless steel with integral wall-mounting brackets and safety-ended shoe-support tongues.

**Does the stated height include the mounting height above the floor?**

No. The listed height is the overall rack height. Set its position above the floor separately to suit access, footwear clearance and cleaning around the installation.

**How should it be installed?**

Fix the rack to a suitable load-bearing wall or support structure. Select fixings for the substrate and loaded rack, and allow clearance for the shoes, user access and cleaning.

**Where can the shoe rack be used?**

Use it in changing rooms, locker rooms and footwear storage areas in food processing, laboratories, pharmaceutical facilities, healthcare, veterinary workplaces, laundries and manufacturing, or in catering and hospitality staff areas.


**How should the rack be cleaned and maintained?**

Use cleaning products and methods suitable for Grade 304 stainless steel and follow the workplace cleaning procedure. Inspect the shoe-support tongues, brackets and mounting fixings regularly.


**Is this the same as the B38135 boot rack?**

No. B38134 is the shoe rack with shoe-support tongues. B38135 is a separate wall-mounted boot rack with individual boot-support prongs. Select the product for the footwear you intend to store.


## Product drawings and images




PRODUCT IMAGE




PRODUCT IMAGE




TOP RIGHT

PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.