

PRODUCT RANGE SPECIFICATION

B38136 – Eco Freestanding Single-Sided Boot Rack



PRODUCT IMAGE

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE
Product range

DOCUMENT REFERENCE
B38136{PSS}

DATA STATUS
Published catalogue data

GENERATED ON
8 Oct 2026

Detailed item specifications

Select an item code for its detailed specification sheet, including model dimensions, technical specifications and drawings. For a printed copy, scan the QR code or visit the product page and select the item.

<https://basterfield.co.za/products/b38136-eco-freestanding-single-sided-boot-rack#specifications>



01 Product description and specification

Product description

Freestanding, single-sided Eco boot rack in Grade 304 stainless steel with solid round-bar boot supports. Choose storage for 8, 12, 16, 20, 24 or 36 boot pairs. All models are 500 mm wide, with lengths and heights matched to the selected capacity, for changing rooms and footwear storage areas.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield B38136 Eco freestanding single-sided boot rack, manufactured from Grade 304 stainless steel with a welded frame and solid round-bar boot-support prongs, to specification reference B38136{PSS}. Select storage for 8, 12, 16, 20, 24 or 36 boot pairs. Overall width 500 mm; length and height as scheduled for the selected model. Position on a suitable level floor with access and cleaning clearances.

02 Models and configurations

ITEM CODE	BOOT PAIRS
B38136(P08)	8
B38136(P12)	12
B38136(P16)	16
B38136(P20)	20
B38136(P24)	24
B38136(P36)	36

03 Functional features

01 Six boot-pair capacities

Choose storage for 8, 12, 16, 20, 24 or 36 pairs of boots.

02 Grade 304 stainless steel

Stainless steel frame and boot supports for organised workplace footwear storage.

- 03

Solid round-bar prongs

Individual solid round-bar supports hold boots clear of the floor.
- 04

Freestanding, single-sided access

Floor-standing rack with boot storage accessed from one side.
- 05

500 mm width across the range

Every model is 500 mm wide. Check the length and height for the selected capacity.
- 06

Open storage layout


The open arrangement provides air circulation around stored footwear and access for cleaning around the rack.

04 Application information

Intended applications	Change Rooms & Locker Rooms, Footwear Storage & Drying, PPE Storage & Dispensing
Industries	Commercial Laundries, Construction, Dairy & Beverage Processing, Farms & Orchards, Fish & Seafood Processing, Food & Beverage Processing, Fresh Produce & Packhouses, General Manufacturing, Hospitals & Clinics, Institutional & Contract Catering, Meat & Poultry Processing, Mining & Quarrying, Pharmaceutical Manufacturing, Research Laboratories, Veterinary Services

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.