

PRODUCT RANGE SPECIFICATION

B38160 – Wall Mounted Glove Rack



PRODUCT IMAGE · Five-pair model: ten individual glove frames.

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE

Product range

DOCUMENT REFERENCE

B38160{PSS}

DATA STATUS

Published catalogue data

GENERATED ON

22 Oct 2026

Detailed item specifications

Select an item code for its detailed specification sheet, including model dimensions, technical specifications and drawings. For a printed copy, scan the QR code or visit the product page and select the item.

<https://basterfield.co.za/products/b38160-wall-mounted-glove-rack#specifications>



01 Product description and specification

Product description

Grade 304 stainless steel wall mounted glove rack for 5 or 10 pairs. Three angled fingers per frame support organised storage, air drying and quick visual inspection. Mounting kits excluded.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Wall mounted glove rack manufactured from Grade 304 stainless steel, with a choice of 5-pair or 10-pair capacity. Ø6mm round-bar glove frames, each with three angled fingers to spread gloves for air drying and visual inspection, supported on a Ø10mm longitudinal round bar. Corrosion resistant and easy to clean. Sold excluding mounting kits.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Mounting Type	Wall Mounted	—	—

03 Models and configurations

ITEM CODE	GLOVE PAIRS
B38160(P05)	5
B38160(P10)	10

04 Functional features


01	Grade 304 Stainless Steel Corrosion resistant stainless steel construction is easy to clean for routine hygiene storage.
02	Three Angled Fingers Three fingers make gloves easy to position and hold them spread out for air circulation and drying.
03	Open Wire Frames The open Ø6mm wire form and spacing between glove positions promote air movement around the gloves.
04	Easy Visual Inspection Gloves remain displayed and spread for efficient visual checks before use.
05	5-Pair and 10-Pair Options Choose capacity for 5 pairs (10 individual gloves) or 10 pairs (20 individual gloves).
06	Organised, Quick Access Designated glove positions help keep reusable gloves organised, readily accessible and ready for use.
07	Wall Mounted Construction Glove frames are carried on a Ø10mm longitudinal support bar. Sold excluding mounting kits.
08	Hygiene Storage Applications Suitable for change rooms, sluices, medical facilities, butcheries and food production areas using reusable gloves.

05 Application information

Intended applications	Change Rooms & Locker Rooms, Hygiene & Cleaning, PPE Storage & Dispensing, Sluice Rooms (Dirty Utility Rooms)
Industries	Fish & Seafood Processing, Food & Beverage Processing, Healthcare, Hospitality & Foodservice, Hospitals & Clinics, Meat & Poultry Processing

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images

PRODUCT IMAGE · Ten-pair model: twenty individual glove frames.

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.