
PRODUCT RANGE SPECIFICATION

B38220 – Step Over Bench Stainless Steel Grade 304



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	B38220{PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/b38220-step-over-bench#specifications

01 Product description and specification

Product description	Step over bench in Grade 304 stainless steel with no shoe shelf, a single-tier shoe shelf or a two-tier shoe shelf. Available in 1000, 1500 and 2000 mm lengths.
Short Form Specification	**SPECIFICATION USE** Use this description when specifying this product range. Basterfield B38220 Step-Over Bench. Grade 304 Stainless Steel; Fully Welded Frame; Dull-Polished Finish; Adjustable Levelling Feet; Access from Both Sides. Standard Lengths: 1000, 1500 or 2000 mm. Shoe Shelf Tiers: 0, 1 or 2. Separate Advanced Option: B38220(S0-115-2000), 2000 mm, No Shelf, 1.5 mm Material Thickness.

02 Technical specifications

PARAMETER	VALUE	UNIT
Bench Type	Step-over	–

03 Configuration options

Length	1000 mm; 1500 mm; 2000 mm
Shoe Shelf Tiers	0; 1; 2

Options vary by model; not every combination is available. Use the product page to select a model.

04 Functional features

01 **Footwear-Zone Division**
Provides a physical division between footwear zones together with changing-room seating.

02 **Choice of Shoe Storage**
Select no shoe shelf, a single-tier shelf or a two-tier shelf alongside the required bench length.

03 **Access from Both Sides**
The bench is accessible from both sides, helping you plan its position within the changing-room layout.

04 Adjustable Levelling Feet

Levelling feet are fitted to the fully welded, dull-polished Grade 304 stainless steel frame.

05 Application information

Intended applications	Change Rooms & Locker Rooms
Industries	Cannabis, Food & Beverage Processing, Hospitals & Clinics, Pharmaceutical Manufacturing

06 Supply and support

Typical lead time	10–15 working days
Warranty	24 months

07 Frequently asked questions

Which standard lengths are available?

The standard published lengths are 1000, 1500 and 2000 mm. Select the length together with the required shoe-shelf arrangement.

What shoe-shelf options can I choose?

Choose no shoe shelf, a single-tier shoe shelf or a two-tier shoe shelf. The selected length and shelf option identify the matching item code.

Can the bench be accessed from both sides?

Yes. The bench is accessible from both sides. Allow appropriate access space when planning its position in the changing room.

What material and finish are specified?


The bench is manufactured from Grade 304 stainless steel with a fully welded frame, dull-polished finish and adjustable levelling feet.

Is a 1.5 mm material option published?

Yes. Advanced item B38220(S0-115-2000) is 2000 mm long, without a shoe shelf, in 1.5 mm material thickness. Select that specific model when requesting this option.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

Product drawings and images



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.