

PRODUCT RANGE SPECIFICATION

B38345 – Wall Mounted Coat Hanging Rail

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B38345{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	Wall-mounted coat hanging rail for organising workwear in changing rooms and production facilities. Designed to be robust, the unit is manufactured from Grade 304 stainless steel. Fitted with integral wall mounting brackets, the unit can be installed easily within the change room. The B38345 Wall Mounted Coat Hanging Rail is exceptionally easy-to-clean. A fully welded design prevents gaps and crevices where dirt could build up. A variety of sizes and configurations are available. Construction and features • Manufactured from Grade 304 stainless steel ensuring high sanitary standards. • Fully welded construction. • Aesthetic dull polished stainless steel finish. • Integral wall mounting brackets allow for easy installation. • Supplied with fixed stainless steel coat hangers. • Designed to make cleaning of the rail easy and hassle-free.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B38345. Wall Mounted Coat Hanging Rail. Number of Hangers: 20, 30. Designed to be robust, the unit is manufactured from Grade 304 stainless steel. Fitted with integral wall mounting brackets, the unit can be installed easily within the change room.

02 Models and configurations


MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B38345(H20)	Wall Mounted Coat Hanging Rail	Number of Hangers: 20
B38345(H30)	Wall Mounted Coat Hanging Rail 30	Number of Hangers: 30


03 Application information

Intended applications	Change Rooms & Locker Rooms
Industries	Food & Beverage Processing

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.