

PRODUCT RANGE SPECIFICATION

B55130 – Prison Stool Seat

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B55130{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	Prison stool seat for correctional and secure institutional rooms requiring a dedicated seating fixture. It is specifically engineered for these contexts, assuring robustness, sanitation, and longevity. Construction & material: The stool is meticulously assembled using welded Grade 304 stainless steel, a material well-regarded for its superior strength, resistance to corrosion, and exceptional hygienic attributes. The stool seat is made from heavy duty stainless steel, promising enduring durability even in high-use settings. Design: The stool boasts a 300 mm diameter seat, featuring a depth of 50 mm, and is bolstered with a 50 mm diameter support, welded to both the seat and the support plate for reinforced stability. To avoid any incidents, the stool is designed with a robust 200 mm diameter base plate which is 6 mm thick and strengthened with 3 mm thick support gussets. Mounting: The stool comes pre-equipped with a sturdy base plate, 6 mm in thickness, which includes four 12 mm pre-drilled mounting holes, ensuring a strong and stable installation. Construction and features Sturdy Welded Construction: Welded construction ensures strength, provides extended service life, and reduces potential damage or breakage. Application: The robust penal-ware stool is suited to use in prisons, detention centers, and other similar environments where strength, security, and durability are essential. Designed and manufactured in South Africa.
---------------------	---

Short Form Specification

SPECIFICATION USE Use this description when specifying this product range. Basterfield B55130 stainless steel prison stool seat, with a 200 mm diameter base plate in 6 mm material and 3 mm support gussets. Installation dimensions and fixings as specified.

B55130

Standard configuration

The robust penal-ware stool is an indispensable piece of furniture in high-security settings, including prisons and detention centers. It is specifically engineered for these contexts, assuring robustness, sanitation, and longevity.

Construction & material:

The stool is meticulously assembled using welded grade 304 stainless steel, a material well-regarded for its superior strength, resistance to corrosion, and exceptional hygienic attributes. The stool seat is made from heavy duty stainless steel, promising enduring durability even in high-use settings.

Design:

The stool boasts a 300mm diameter seat, featuring a depth of 50mm, and is bolstered with a 50mm diameter support, welded to both the seat and the support plate for reinforced stability. To avoid any incidents, the stool is designed with a robust 200mm diameter base plate which is 6mm thick and strengthened with 3mm thick support gussets.

Mounting:

The stool comes pre-equipped with a sturdy base plate, 6mm in thickness, which includes four 12mm pre-drilled mounting holes, ensuring a strong and stable installation.

Features:

Sturdy Welded Construction: Welded construction ensures strength, provides extended service life, and reduces potential damage or breakage.

Hygienic Material: The stool is crafted from grade 304 stainless steel, a non-porous material that is easy to clean, which aids in bacterial growth prevention and contributes to a healthier environment.

Robust Installation: A base plate with pre-drilled mounting holes allows for a solid, secure wall installation, supporting regular use without compromising safety or stability.

Application:

The robust penal-ware stool is ideal for use in prisons, detention centers, and other similar environments where strength, security, and durability are essential.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
	Origin of Manufacture:	
	Designed and manufactured in South Africa.	

03 Application information

Intended applications	Secure Institutional Furnishing
Industries	Correctional Services

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images



VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.