

PRODUCT RANGE SPECIFICATION

B60140 – Wall-Mounted Stainless Steel Cleaner's Sink with Bucket Grid

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	B60140{PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	The B60140 cleaner’s sink provides a dedicated washing point for buckets and cleaning equipment. It is manufactured from Grade 304 stainless steel with a deep-drawn bowl, coved corners, protective rubber bumpers and a hinged bucket grid. Bowl plan sizes are 480 × 500 mm or 600 × 500 mm, with 230 mm or 300 mm bowl depths as selected. A 40 mm waste outlet provides the drainage connection. Heavy-duty gallows brackets support wall mounting. Specify the bowl size, depth and installation fittings required for the janitorial or utility room.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B60140. Grade 304 stainless steel cleaner's sink; hinged bucket grid; rubber bumpers; 40 mm waste outlet; wall-mounted gallows brackets. Bowl plan size: 480 × 500 or 600 × 500 mm; depth: 230 or 300 mm as selected.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B60140(480)	CLEANER'S SINK 480MM	Depth (mm): 230 mm Length: 480 mm
B60140(480-300)	B60140(480-300) Stainless Steel Cleaner's Sink 480mm (L) x 500mm (W) with 300mm Bowl Depth Length: 480. Depth (mm): 300.	Depth (mm): 300 mm Length: 480 mm
B60140(600)	CLEANERS SINK 600MM	Depth (mm): 230 mm Length: 600 mm
B60140(600x300)	Cleaners Sink Stainless Steel	Depth (mm): 300 mm Length: 600 mm

03 Application information

Intended applications	Hygienic Wash-Down & Cleaning
Industries	Foodservice & Catering, Research Laboratories


04 Supply and support

Typical lead time	10-15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**




PRODUCT IMAGE



TOP (1 : 4)

PRODUCT IMAGE



FRONT (1 : 4)

PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.