

PRODUCT RANGE SPECIFICATION

B65010 – Manual Boot Scrubber with Handle

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B65010{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	Manual boot scrubber with a handle for cleaning footwear at changing-room and production-area entrances. Fabricated from 304-grade stainless steel, this unit is highly resistant to corrosion and offers superior durability for demanding industrial applications. The scrubber features three heavy-duty brushes—strategically positioned to clean both the soles and sides of boots. These brushes are constructed for maximum abrasion and long service life, effectively removing dirt, grit, and debris without the need for water or chemicals. A 25 mm Ø stainless steel support bar ensures ergonomic support during use, enhancing stability and reducing strain on the user. The unit’s compact footprint (400 mm x 385 mm) allows it to fit easily into hygiene zones, while its 1105 mm height offers comfortable operation. Brushes are easily replaceable, and spares are available on an ongoing basis to ensure consistent performance. The unit includes pre-punched 8 mm mounting plates for secure floor installation, minimizing movement during scrubbing. Built to last, the B65010 combines functionality, hygiene, and reliability in a single, easy-to-maintain unit.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B65010. Manual Boot Scrubber with Handle. The unit’s compact footprint (400 mm x 385 mm) allows it to fit easily into hygiene zones, while its 1105 mm height offers comfortable operation. The unit includes pre-punched 8 mm mounting plates for secure floor installation, minimizing movement during scrubbing.

02 Models and configurations


MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B65010	Boot Cleaner With Stainless Steel Frame Sole, Side Brushes and Support Bar	Standard configuration

03 Application information


Intended applications	Footwear Cleaning and Disinfection
Industries	Food & Beverage Processing, Meat & Poultry Processing, Pharmaceutical Manufacturing

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images




PRODUCT IMAGE



TOP

PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.