

PRODUCT RANGE SPECIFICATION

B65166 – Manual Boot Washer

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B65166{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description

Manual boot washer for cleaning footwear in changing-room and production-area washing stations.

The unit is manufactured from Grade 304 stainless steel with surfaces featuring a brushed polish finish. The brushed polish finish ensures the unit can be easily cleaned and requires little maintenance. The manual boot washer is fully welded and has a robust stainless steel framework which makes for a very strong unit.

Each station includes a water-fed spray hose brush which allows for the easy and effective scrubbing of the tops and sides of boots. Water is supplied to the unit with a simple nudge of the push button which activated the water supply valve. The soles of boots can be scrubbed easily with the two sole brushes per station. The sole brushes have high-density brushes which are able to withstand heavy scrubbing. All waste water is collected within the trough of the drainage enclosure and then is efficiently drained from the unit via the waste outlet. The drainage enclosure features a splashback at the rear which assists in keeping the washing area dry and clean.

The B65166 Manual Boot Washer is floor mounted and is fitted with adjustable foot pieces on each leg. This allows the boot wash station to be easily levelled on the floor ensuring the unit is stable during use. The manual boot wash station is available in various station configurations including one, two, three and four station sizes.

Construction and features

- Stainless steel manually-operated boot wash station.
- Manufactured from Grade 304 stainless steel ensuring a hygienic unit.
- All surfaces are finished to a brushed polish stainless steel finish which is easy to clean and low on maintenance.
- Specifically designed to offer ergonomic and comfortable boot washing for users.
- Fully welded so as to ensure a durable and strong boot washing unit.
- Features a hand-held spray hose brush which allows manual scrubbing of the sides and tops of boots.
- Water is fed to the spray hose brush upon activation of the push button valve.
- Each station includes two sole brushes for scrubbing the soles of boots.
- The sole brushes feature high-density bristles ensuring they withstand arduous use.
- The unit includes a drainage enclosure for the collection and drainage of waste water.
- The drainage enclosure includes an integral splashback so as to keep the washing area clean and dry.
- The unit is floor mounted and each leg is supplied with an adjustable foot piece.
- Available as a one, two, three or four station boot wash unit.

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B65166. Manual Boot Washer. Waste Outlet Orientation: Centre, Left Hand. Number of Stations / Spouts: One, Two, Three, Four. Material: Grade 304 stainless steel with surfaces featuring a brushed polish finish. The manual boot washer is fully welded and has a robust stainless steel framework which makes for a very strong unit.
--------------------------	--

02 Models and configurations


MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B65166S1C	B65166S1C Manual Boot Washer One Station With Centre Waste Outlet	Number of Stations / Spouts: One Waste Outlet Orientation: Centre
	Number of Stations / Spouts: One. Waste Outlet Orientation: Centre.	
B65166S2L	B65166S2L Manual Boot Washer Two Stations With Left-Hand Waste Outlet	Number of Stations / Spouts: Two Waste Outlet Orientation: Left Hand
	Number of Stations / Spouts: Two. Waste Outlet Orientation: Left Hand.	
B65166S3L	B65166S3L Manual Boot Washer Three Stations With Left-Hand Waste Outlet	Number of Stations / Spouts: Three Waste Outlet Orientation: Left Hand
	Number of Stations / Spouts: Three. Waste Outlet Orientation: Left Hand.	
B65166S4L	B65166S4L Manual Boot Washer Four Stations With Left-Hand Waste Outlet	Number of Stations / Spouts: Four Waste Outlet Orientation: Left Hand
	Number of Stations / Spouts: Four. Waste Outlet Orientation: Left Hand.	


03 Application information

Intended applications	Footwear Cleaning and Disinfection
Industries	Food & Beverage Processing, Meat & Poultry Processing


04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**



PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.