MODEL SPECIFICATION

E22126(DC-112-1500-E0300-K01) – Prep Sink DC Grade 304 1.2 1500x700



PRODUCT IMAGE · Shared image for the Grade 304 and Grade 316-contact-surface variants; the material-grade difference is not visually apparent.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Model	E22126(DC-112-1500-E0300-K01){PSS}	14 Nov 2026

01 Model specification

Double-Bowl Preparation Sink, 1500 mm (L) x 700 mm (W) x 900 mm Working Height, with Two Centre Bowls Each Measuring 500 mm (L) x 500 mm (W) x 250 mm (D). Includes a 300 mm High Rear Splashback and a Pre-Punched 1 1/2-inch Diameter Waste Outlet. Unit Mass: 43.537 kg. The Work Surface, Both Bowls and Rear Splashback Are Manufactured from Heavy-Duty 1.2 mm Grade 304 Stainless Steel. The Supporting Framework and Underbracing Are Also Grade 304 Stainless Steel.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Working Height	900	mm	Floor to the tabletop or working surface; excludes any splashback.
Splashback Height	300	mm	Height of the splashback above the tabletop or working surface.
Overall height	1200	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Number of Bowls	2	–	–
Bowl Orientation	Centre	–	–
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Width	700	mm	The width of the item typically as measured from front to back.
Length	1500	mm	The length of the item typically as measured from left to right.
Bowl Width	500	mm	—
Bowl Length	500	mm	The length of the bowl typically as measured from left to right.
Bowl Depth	250	mm	—

03 Dimensions and mass

PARAMETER	VALUE	UNIT
Length	1500	mm
Width	700	mm
Overall height	1200	mm
Weight	44	kg

04 Model and supply data

Parent product	E22126(DC-E) — Double Bowl Preparation Sink with Extended Splashback
Typical lead time	10–15 working days
Warranty	24 months

05 Specification notes

Configuration description

Double-bowl preparation sink, 1500 mm (L) x 700 mm (W) x 900 mm working height, with two centre bowls each measuring 500 mm (L) x 500 mm (W) x 250 mm (D). Includes a 300 mm high rear splashback and a pre-punched 1 1/2-inch diameter waste outlet. The work surface, both bowls and rear splashback are manufactured from heavy-duty 1.2 mm Grade 304 stainless steel. The supporting framework and underbracing are also Grade 304 stainless steel.

The overall height is 1200 mm including the rear splashback. The unit mass is 43.537 kg. The supplied product image is shared between the Grade 304 and Grade 316-contact-surface variants because the material-grade difference is not visually apparent.

Short Form Specification

> **SPECIFICATION USE**
> Use this description when specifying this model.

Double-bowl preparation sink; 1500 x 700 x 900 mm working height; 300 mm rear splashback; two centre bowls, each 500 x 500 x 250 mm; pre-punched diameter 1 1/2 in waste outlet; contact surfaces: Grade 304 stainless steel, 1.2 mm thick; framework and underbracing: Grade 304 stainless steel; mass: 43.537 kg.

Detailed specification

- Product type: Double-bowl preparation sink
- Bowl arrangement: Double centre bowls
- Unit dimensions: 1500 mm (L) x 700 mm (W) x 900 mm working height
- Rear splashback: 300 mm high
- Overall height including splashback: 1200 mm
- Bowl dimensions: 500 mm (L) x 500 mm (W) x 250 mm (D), each
- Waste outlet: Pre-punched, diameter 1 1/2 in
- Work surface, bowls and splashback: Grade 304 stainless steel, 1.2 mm thick
- Framework and underbracing: Grade 304 stainless steel
- Unit width: 700 mm
- Mass: 43.537 kg

E&OE. Specifications are subject to change without notice.