

PRODUCT RANGE SPECIFICATION

E22126(DC-E) – Double Bowl Preparation Sink with Extended Splashback



PRODUCT IMAGE

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE E22126(DC-E){PSS}	DATA STATUS Published catalogue data	GENERATED ON 4 Oct 2026
---------------------------------	---	---	----------------------------

01 Product description and specification

Product description

The Basterfield E22126(DC-E) Double Bowl Preparation Sink with Extended Splashback is a heavy-duty stainless steel preparation sink designed for commercial kitchens, food production facilities, laboratories, healthcare environments and other high-hygiene work areas. Manufactured in Grade 304 stainless steel as standard, with Grade 316 stainless steel available on request, the unit provides excellent corrosion resistance, cleanability and long-term durability. Standard construction is in 1.2mm stainless steel, with a 1.5mm material thickness option available for more demanding applications. The worktop incorporates a marine edge to help contain spills and maintain a cleaner working area.

The sink is supplied with two bowls, each typically measuring 500mm (L) x 500mm (W) x 250mm (D), providing generous capacity for preparation, washing and rinsing tasks. Bowl sizes can be customised upon request. The standard unit width is 650mm, with a standard working height of 900mm to the work surface, whilst overall length, width and height can be manufactured to suit project requirements. The extended splashback is 300 mm high as standard, with 400, 500 and 600 mm height options for additional wall protection. The splashback is formed as a boxed double-skin construction, giving it strength and rigidity so that it is self-supporting.

The E22126(DC-E) is floor-standing on a full stainless steel framework, making it suitable for high-hygiene and wash-down environments. Adjustable feet allow for easy levelling on site, while the unit can be supplied with a solid undershelf, tubular undershelf or perforated undershelf depending on storage and cleaning requirements. Waste outlet options include Ø40mm or Ø90mm outlet holes to suit the drainage specification. This preparation sink is suitable for food preparation areas, commercial kitchens, butcheries, bakeries, laboratories, healthcare processing areas and industrial hygiene applications where durable, hygienic stainless steel equipment is required.

Working height is measured from the floor to the worktop. Overall height includes the splashback and is calculated from the selected working and splashback heights.

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Shall be Basterfield E22126(DC-E) Double Bowl Preparation Sink with Extended Splashback, manufactured from 1.2 mm thick Grade 304 stainless steel as standard, with Grade 316 stainless steel and 1.5mm material thickness options available. Unit shall be floor-standing on a full stainless steel framework with adjustable feet, standard 650mm width and 900mm working height, with overall length, width and height manufactured to suit project requirements. Sink shall include two 500mm (L) x 500mm (W) x 250mm (D) bowls, marine edge worktop, Ø40mm or Ø90mm waste outlet options, and a boxed double-skin extended splashback, 300 mm high as standard, with 400, 500 and 600 mm height options. Unit shall be supplied with optional solid, tubular or perforated stainless steel undershelf and shall be suitable for commercial kitchens, food production facilities, laboratories, healthcare and hygiene-critical industrial applications.
--------------------------	---

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Working Height	900	mm	Floor to the tabletop or working surface; excludes any splashback.
Bowl Length	500	mm	The length of the bowl typically as measured from left to right.
Bowl Orientation	Centre	—	—
Bowl Depth	250	mm	—
Bowl Width	500	mm	—
Number of Bowls	2	—	—

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-1500-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1200 mm (L x W x H)
E22126(DC-112-1500-E0300-K01)	Double-Bowl Preparation Sink, 1500 mm (L) x 700 mm (W) x 900 mm Working Height, with Two Centre Bowls Each Measuring 500 mm (L) x 500 mm (W) x 250 mm (D). Includes a 300 mm High Rear Splashback and a Pre-Punched 1 1/2-inch Diameter Waste Outlet. Unit Mass: 43.537 kg. The Work Surface, Both Bowls and Rear Splashback Are Manufactured from Heavy-Duty 1.2 mm Grade 304 Stainless Steel. The Supporting Framework and Underbracing Are Also Grade 304 Stainless Steel.	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1200 mm (L x W x H) Mass: 44 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-1500-E0400)	Preparation Sink Double Bowl Centre Stainless Steel Grade 304 1.2mm Thickness 1500mm (L) x 650mm (W) x 900mm (H) with Double Bowls Each 500mm (L) x 500mm (W) x 250mm (D), Extended Splashback 400mm High and Adjustable Legs Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-112-1500-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1300 mm (L x W x H)
E22126(DC-112-1500-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1400 mm (L x W x H)
E22126(DC-112-1500-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1400 mm (L x W x H)
E22126(DC-112-1500-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1500 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-1500-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1500 mm (L x W x H)
E22126(DC-112-1850-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1200 mm (L x W x H)
E22126(DC-112-1850-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1200 mm (L x W x H)
E22126(DC-112-1850-E0400)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-112-1850-E0400-K01)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: – x – x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-1850-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1400 mm (L x W x H)
E22126(DC-112-1850-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1400 mm (L x W x H)
E22126(DC-112-1850-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1500 mm (L x W x H)
E22126(DC-112-1850-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1500 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-2000-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1200 mm (L x W x H)
E22126(DC-112-2000-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1200 mm (L x W x H)
E22126(DC-112-2000-E0400)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1300 mm (L x W x H)
E22126(DC-112-2000-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-2000-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1400 mm (L x W x H)
E22126(DC-112-2000-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1400 mm (L x W x H)
E22126(DC-112-2000-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1500 mm (L x W x H)
E22126(DC-112-2000-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1500 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-2200-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1200 mm (L x W x H)
E22126(DC-112-2200-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1200 mm (L x W x H)
E22126(DC-112-2200-E0400)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1300 mm (L x W x H)
E22126(DC-112-2200-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-2200-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1400 mm (L x W x H)
E22126(DC-112-2200-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1400 mm (L x W x H)
E22126(DC-112-2200-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1500 mm (L x W x H)
E22126(DC-112-2200-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1500 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-2400-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1200 mm (L x W x H)
E22126(DC-112-2400-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1200 mm (L x W x H)
E22126(DC-112-2400-E0400)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1300 mm (L x W x H)
E22126(DC-112-2400-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-112-2400-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1400 mm (L x W x H)
E22126(DC-112-2400-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1400 mm (L x W x H)
E22126(DC-112-2400-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1500 mm (L x W x H)
E22126(DC-112-2400-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1500 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-1500-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1200 mm (L x W x H)
E22126(DC-115-1500-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1200 mm (L x W x H)
E22126(DC-115-1500-E0400)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-115-1500-E0400-K01)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-115-1500-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-1500-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1400 mm (L x W x H)
E22126(DC-115-1500-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1500 mm (L x W x H)
E22126(DC-115-1500-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1500 mm (L x W x H)
E22126(DC-115-1850-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-1850-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1200 mm (L x W x H)
E22126(DC-115-1850-E0400)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-115-1850-E0400-K01)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-115-1850-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1400 mm (L x W x H)
E22126(DC-115-1850-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-1850-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1500 mm (L x W x H)
E22126(DC-115-1850-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1500 mm (L x W x H)
E22126(DC-115-2000-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1200 mm (L x W x H)
E22126(DC-115-2000-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-2000-E0400)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1300 mm (L x W x H)
E22126(DC-115-2000-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1300 mm (L x W x H)
E22126(DC-115-2000-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1400 mm (L x W x H)
E22126(DC-115-2000-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-2000-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1500 mm (L x W x H)
E22126(DC-115-2000-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1500 mm (L x W x H)
E22126(DC-115-2200-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1200 mm (L x W x H)
E22126(DC-115-2200-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-2200-E0400)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1300 mm (L x W x H)
E22126(DC-115-2200-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1300 mm (L x W x H)
E22126(DC-115-2200-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1400 mm (L x W x H)
E22126(DC-115-2200-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-2200-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1500 mm (L x W x H)
E22126(DC-115-2200-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1500 mm (L x W x H)
E22126(DC-115-2400-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1200 mm (L x W x H)
E22126(DC-115-2400-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-2400-E0400)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1300 mm (L x W x H)
E22126(DC-115-2400-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1300 mm (L x W x H)
E22126(DC-115-2400-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1400 mm (L x W x H)
E22126(DC-115-2400-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-115-2400-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1500 mm (L x W x H)
E22126(DC-115-2400-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 304 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1500 mm (L x W x H)
E22126(DC-312-1500-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1200 mm (L x W x H)
E22126(DC-312-1500-E0300-K01)	Double-Bowl Preparation Sink, 1500 mm (L) x 700 mm (W) x 900 mm Working Height, with Two Centre Bowls Each Measuring 500 mm (L) x 500 mm (W) x 250 mm (D). Includes a 300 mm High Rear Splashback and a Pre-Punched 1 1/2-inch Diameter Waste Outlet. Unit Mass: 43.537 kg. The Work Surface, Both Bowls and Rear Splashback Are Manufactured from Heavy-Duty 1.2 mm Grade 316 Stainless Steel. The Supporting Framework and Underbracing Are Grade 304 Stainless Steel.	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1200 mm (L x W x H) Mass: 44 kg
E22126(DC-312-1500-E0400)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-1500-E0400-K01)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: – × – × 1300 mm (L × W × H)
E22126(DC-312-1500-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1500 × 650 × 1400 mm (L × W × H)
E22126(DC-312-1500-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1500 × 700 × 1400 mm (L × W × H)
E22126(DC-312-1500-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1500 × 650 × 1500 mm (L × W × H)
E22126(DC-312-1500-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1500 × 700 × 1500 mm (L × W × H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-1850-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1200 mm (L x W x H)
E22126(DC-312-1850-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1200 mm (L x W x H)
E22126(DC-312-1850-E0400)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-312-1850-E0400-K01)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-312-1850-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-1850-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1400 mm (L x W x H)
E22126(DC-312-1850-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1500 mm (L x W x H)
E22126(DC-312-1850-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1500 mm (L x W x H)
E22126(DC-312-2000-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-2000-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1200 mm (L x W x H)
E22126(DC-312-2000-E0400)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1300 mm (L x W x H)
E22126(DC-312-2000-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1300 mm (L x W x H)
E22126(DC-312-2000-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-2000-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1400 mm (L x W x H)
E22126(DC-312-2000-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1500 mm (L x W x H)
E22126(DC-312-2000-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1500 mm (L x W x H)
E22126(DC-312-2200-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-2200-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1200 mm (L x W x H)
E22126(DC-312-2200-E0400)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1300 mm (L x W x H)
E22126(DC-312-2200-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1300 mm (L x W x H)
E22126(DC-312-2200-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-2200-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1400 mm (L x W x H)
E22126(DC-312-2200-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1500 mm (L x W x H)
E22126(DC-312-2200-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1500 mm (L x W x H)
E22126(DC-312-2400-E0300)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-2400-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1200 mm (L x W x H)
E22126(DC-312-2400-E0400)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1300 mm (L x W x H)
E22126(DC-312-2400-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1300 mm (L x W x H)
E22126(DC-312-2400-E0500)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-312-2400-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1400 mm (L x W x H)
E22126(DC-312-2400-E0600)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1500 mm (L x W x H)
E22126(DC-312-2400-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.2 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1500 mm (L x W x H)
E22126(DC-315-1500-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1200 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-1500-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1200 mm (L x W x H)
E22126(DC-315-1500-E0400)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-315-1500-E0400-K01)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: – x – x 1300 mm (L x W x H)
E22126(DC-315-1500-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1400 mm (L x W x H)
E22126(DC-315-1500-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1400 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-1500-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1500 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1500 x 650 x 1500 mm (L x W x H)
E22126(DC-315-1500-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1500 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1500 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1500 x 700 x 1500 mm (L x W x H)
E22126(DC-315-1850-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 1850 x 650 x 1200 mm (L x W x H)
E22126(DC-315-1850-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 1850 x 700 x 1200 mm (L x W x H)
E22126(DC-315-1850-E0400)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: – x – x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-1850-E0400-K01)	Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: – × – × 1300 mm (L × W × H)
E22126(DC-315-1850-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 1850 × 650 × 1400 mm (L × W × H)
E22126(DC-315-1850-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 1850 × 700 × 1400 mm (L × W × H)
E22126(DC-315-1850-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1850 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 1850 × 650 × 1500 mm (L × W × H)
E22126(DC-315-1850-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 1850 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 1850 × 700 × 1500 mm (L × W × H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-2000-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1200 mm (L x W x H)
E22126(DC-315-2000-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1200 mm (L x W x H)
E22126(DC-315-2000-E0400)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1300 mm (L x W x H)
E22126(DC-315-2000-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-2000-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1400 mm (L x W x H)
E22126(DC-315-2000-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1400 mm (L x W x H)
E22126(DC-315-2000-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2000 x 650 x 1500 mm (L x W x H)
E22126(DC-315-2000-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2000 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2000 x 700 x 1500 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-2200-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1200 mm (L x W x H)
E22126(DC-315-2200-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1200 mm (L x W x H)
E22126(DC-315-2200-E0400)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1300 mm (L x W x H)
E22126(DC-315-2200-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-2200-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1400 mm (L x W x H)
E22126(DC-315-2200-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1400 mm (L x W x H)
E22126(DC-315-2200-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2200 x 650 x 1500 mm (L x W x H)
E22126(DC-315-2200-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2200 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2200 x 700 x 1500 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-2400-E0300)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1200 mm (L x W x H)
E22126(DC-315-2400-E0300-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 300 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 300 mm Splashback (1200 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 300 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1200 mm (L x W x H)
E22126(DC-315-2400-E0400)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1300 mm (L x W x H)
E22126(DC-315-2400-E0400-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 400 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 400 mm Splashback (1300 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 400 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1300 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22126(DC-315-2400-E0500)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1400 mm (L x W x H)
E22126(DC-315-2400-E0500-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 500 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 500 mm Splashback (1400 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 500 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1400 mm (L x W x H)
E22126(DC-315-2400-E0600)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 650 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 650 mm Overall dimensions: 2400 x 650 x 1500 mm (L x W x H)
E22126(DC-315-2400-E0600-K01)	Double-Centre-Bowl Preparation Sink in 1.5 mm Grade 316 Stainless Steel; 2400 mm (L) x 700 mm (W), 900 mm Working Height. Two Bowls, Each 500 mm (L) x 500 mm (W) x 250 mm Deep; 600 mm Extended Splashback, Marine Edge Top, Full Stainless Steel Framework and Adjustable Feet. Height Specification: 900 mm Working Height, with a 600 mm Splashback (1500 mm Overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Splashback Height: 600 mm Width: 700 mm Overall dimensions: 2400 x 700 x 1500 mm (L x W x H)

04 Functional features

01 Hygienic stainless steel construction

Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.

02 Designed for commercial environments

Built for repeated daily use rather than light domestic applications.

03 Stainless Steel Grade 304 construction, including framework

Provides excellent corrosion resistance, durability and hygiene in normal commercial kitchen and food-service environments.

04	Heavy-duty fabricated construction Provides greater rigidity and durability under demanding commercial use.
05	Marine Edge Marine edge contains liquid
06	Stainless Steel Framework Framework and legs underneath table is of an all stainless steel construction ensuring suitability for high hygiene environments.
07	Extended Splashback Able to mount tapware, soap dispensers, etc.
08	Test Title Test Desc

05 Application information

Intended applications	Pot Washing
Industries	Bakeries, Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés

06 Supply and support

Typical lead time	10–15 working days
Warranty	24 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.